Food Establishment Inspection Report so						
Establishment Name: BAGEL STATION Establishment ID: 3034010008						
Location Address: 129 OAKWOOD DRIVE						
City: WINSTON-SALEM	I-SALEM State NC Date: 10/24/2014 Status Code: A					
Zip: 27103 County: 34 Forsyth						
Permittee: THE BAGEL STATION INC.		Total Time: <u>1 hr 50 minutes</u>	0 p			
		Category #: _II				
Telephone: (336) 724-3959		FDA Establishment Type: Fast Food Restaura	nt			
Wastewater System: Municipal/Community		No. of Risk Factor/Intervention Violations				
Water Supply: Municipal/Community On-	Site Supply	No. of Repeat Risk Factor/Intervention V	'iolations:			
Foodborne Illness Risk Factors and Public Health In	terventions	Good Retail Practices				
Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness of		Good Retail Practices: Preventative measures to control the addition of and physical objects into foods.	pathogens, chemicals,			
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status	OUT CDI R VR			
Supervision .2652 1 Image: Comparison of the sector of the sect	2 0	Safe Food and Water .2653, .2655, .2658 28 X Pasteurized eggs used where required				
Image: Constraint of the second sec		29 X V Water and ice from approved source				
2 X I Management, employees knowledge; responsibilities & reporting	31.50	Variance obtained for an existing discovery				
3 X D Proper use of reporting, restriction & exclusion	31.50	30 Image: Second s				
Good Hygienic Practices .2652, .2653		Proper cooling methods used; adequate				
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210 🗆 🗆	31 Image: Constraint of the second				
5 🔀 🗌 No discharge from eyes, nose or mouth	10.50	33 □ □ □ X Approved thawing methods used				
Preventing Contamination by Hands .2652, .2653, .2655, .2656						
6 X Hands clean & properly washed	420	34 X Image: Constraint of the second secon				
7 🛛 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	35 ⊠ □ Food properly labeled: original container	21000			
8 🛛 🗆 Handwashing sinks supplied & accessible		Prevention of Food Contamination .2652, .2653, .2654, .2656,	.2657			
Approved Source .2653, .2655		36 🗆 🛛 Insects & rodents not present; no unauthorized				
9 🛛 🗌 Food obtained from approved source		37 🛛 🗆 Contamination prevented during food preparation, storage & display	210 🗆 🗆			
10 Image: Second se		38 X Personal cleanliness				
11 X Food in good condition, safe & unadulterated	210	39 🛛 🗌 Wiping cloths: properly used & stored				
12 C Required records available: shellstock tags,	210	40 🛛 🗌 🔲 Washing fruits & vegetables				
Protection from Contamination .2653, .2654 13 X Food separated & protected	31.50	Proper Use of Utensils .2653, .2654				
		41 🛛 🗌 In-use utensils: properly stored	10.50			
14 X Food-contact surfaces: cleaned & sanitized 15 X Proper disposition of returned, previously served,		42 X Utensils, equipment & linens: properly stored, dried & handled	10.50			
15 X Proper disposition of returned, previously served, reconditioned, & unsafe food Potentially Hazardous Food Time/Temperature .2653		43 X C Single-use & single-service articles: properly stored & used				
16 C X Proper cooking time & temperatures	3 1.5 0	44 🛛 🗌 Gloves used properly				
17 X D Proper reheating procedures for hot holding		Utensils and Equipment .2653, .2654, .2663				
18 Image: Second seco		45 Equipment, food & non-food contact surfaces approved, cleanable, properly designed,				
19 Image: State St		constructed, & used	δ. 1050 Π Π Π			
20 X C Proper fold holding temperatures		40 🖾 🗆 used; test strips				
		47 X Non-food contact surfaces clean Physical Facilities .2654, .2655, .2656				
21 🛛 🗆 🗆 Proper date marking & disposition		48 X H Hot & cold water available; adequate pressure	210			
22 Consumer Advisory .2653		49 🛛 🗌 Plumbing installed; proper backflow devices				
23 Consumer advisory 2003 undercooked foods		50 X Sewage & waste water properly disposed				
Highly Susceptible Populations .2653						
24 C Pasteurized foods used; prohibited foods not offered	31.50					
Chemical .2653, .2657		maintained				
25 🛛 🗌 Food additives: approved & properly used	10.50	53 D X Physical facilities installed, maintained & clean				
26 X D Toxic substances properly identified stored, & used	210	54 Image: Second s				
Conformance with Approved Procedures .2653, .2654, .2658 27 Image: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan						
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.						



Comment Addendum to Food Establishment Inspection Report

Establishment Name: BAGEL STATION					
Location Address: 129 OAKWOOD DR	IVE				
City: WINSTON-SALEM	State: NC				
County: 34 Forsyth	Zip:				
Wastewater System: 🛛 Municipal/Community					
Water Supply: 🛛 🛛 Municipal/Community	-				
Permittee:					
Telephone: (336) 724-3959					

Establishment ID: 3034010008

X Inspection Re-Inspection	Date: 10/24/2014
Comment Addendum Attached?	
	Category #: II

Email 1: kathy@bagelstation.net

Email	2
Linan	_

Email 3:

			Tempe	erature Observation	ns			
tem Deli turkey	Location make unit	Temp 40	ltem deli turkey	Location walk in	Temp 39	Item	Location	Temp
deli ham	make unit	39	tuna salad	walk in	38			
tuna salad	make unit	40	sausage	walk in	39			
sausage	make unit	40	hot water	three comp sink	150			
egg mixture	make unit	38	sanitizer	spray bottles (ppm)	200			
tomatoes	make unit	38	sanitizer	three comp sink (ppm)	200			
lettuce	make unit	42						
salmon	make unit	40	-					

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

6-501.111 Controlling Pests - PF Repeat: Ants present on storage shelf above prep table, ants were on a bottle of honey and open 36 bottle of chocolate sauce. Chocolate sauce was discarded voluntarily. Bottles of honey were cleaned and stored in sealed plastic bags. Premises must be kept free of pests. Contact pest control services to remove ants and prevent their re entry. Continue to seal foods that are attracting ants in containers to prevent pest entry.

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment - C Rust is developing in the joints of metal shelving units, on the wheels of equipment and on the large mixer. Equipment shall be maintained in good condition. Repair noted items. If using paint, only use FDA approved food safe paints.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Storage shelf of 47 replacement parts / equipment behind the bagel boiler has heavy flour and dust build up. Non food contact surfaces shall be maintained clean. Clean the storage area behind the boiler.

Person in Charge (Print & Sign):	First	Last	Janin Jakan		
Regulatory Authority (Print & Sign): ^{joseph}	<i>First</i> chroba	Last ^k	fill he		
REHS ID: 2450 - Chrobak, Joseph			_ Verification Required Date: / /		
REHS Contact Phone Number: (<u>33</u>	<u>6)7Ø3-3164</u>				
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.					

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BAGEL STATION

Establishment ID: 3034010008

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 52 5-501.114 Using Drain Plugs C Drain plug missing from dumpster. All dumpsters with drains shall be provided with a drain plug. Add a drain plug to the dumpster.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Three compartment sink is pulling from its seal to the wall, corner brackets on walls need to be resealed. Walls shall be maintained in good repair to be easily cleanable. Repair noted items. // 6-501.12 Cleaning, Frequency and Restrictions C storage area behind the bagel boiler needs to be cleaned on the floors and walls where dust and flour has built up. Floors and walls shall be maintained clean. // 6-201.18 Walls and Ceilings, Studs, Joists, and Rafters C Pipe entries to the ceilings through the establishment need to be sealed to be easily cleanable. All entries into walls and ceilings must be sealed. Seal pipe entries.





Establishment Name: BAGEL STATION

Establishment ID: 3034010008

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: BAGEL STATION

Establishment ID: <u>3034010008</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: BAGEL STATION

Establishment ID: <u>3034010008</u>

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

