Food Establishment Inspection Report Sco						
Establishment Name: CREEKSIDE LANES SNACK B		Establishment ID: 3034011219				
Location Address: 1450 TRADE MART BLVD Inspection Re-Inspection						
City: WINSTON SALEM State: NC Date: Ø1/11/2018 Status Code: A						
07407 04 Farry th	Time In: $02:25 \otimes pm$ Time Out: $04:30 \otimes pm$	am				
Total Time: 2 hrs 5 minutes						
		Category #: II				
Telephone: (336) 771-9800		EDA Establishment Type: Full-Service Restaurant				
Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 1						
Water Supply: Municipal/Community On-	Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:					
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing foodb Public Health Interventions: Control measures to prevent foodborne illness or	oorne illness.	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.				
IN OUT N/A N/O Compliance Status	OUT CDI R VR		CDI R VR			
Supervision .2652		Safe Food and Water .2653, .2658				
1 Image: Constraint on the second		28 X Pasteurized eggs used where required 1				
2 図 □ Management, employees knowledge; responsibilities & reporting	31.50	29 X Water and ice from approved source 21 20 Variance obtained for specialized processing Variance obtained for specialized processing				
3 X Proper use of reporting, restriction & exclusion	31.50000					
Good Hygienic Practices .2652, .2653		Food Temperature Control .2653, .2654 31 Proper cooling methods used; adequate 1000				
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210					
5 🔀 🗌 No discharge from eyes, nose or mouth						
Preventing Contamination by Hands .2652, .2653, .2655, .2656						
6 🛛 🗆 Hands clean & properly washed	420000	34 X Image: Constraint of the second se				
7 X III III III No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	Food Identification .2653 35 X Food properly labeled: original container 21				
8 🛛 🗌 Handwashing sinks supplied & accessible	210	35 X Food properly labeled: original container 21 Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657				
Approved Source .2653, .2655		36 🔽 🗌 Insects & rodents not present; no unauthorized				
9 🕅 🗆 Food obtained from approved source		27 V Contamination prevented during food				
10 Food received at proper temperature	210	preparation, storage a display				
11 🛛 🗌 Food in good condition, safe & unadulterated	21000					
12 D Required records available: shellstock tags, parasite destruction	210					
Protection from Contamination .2653, .2654		40 ⊠ □ Washing fruits & vegetables 105 □ Proper Use of Utensils .2653, .2654				
13 Food separated & protected Food separated & protected	315 🕱 🗙 🗆 🗆					
14 Image: Second and the s	31.50					
15 Image: Second seco						
Potentially Hazardous Food Time/Temperature .2653		stored & used				
16 Proper cooking time & temperatures	31.50	Gloves used properly				
17 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663				
18 Image: Second state 19	31.50	45 Approved, cleanable, properly designed, 21 constructed, & used				
19 🔀 🗆	31.50	46 🛛 - Warewashing facilities: installed, maintained, & 1				
20 🔀 🗔 🗔 Proper cold holding temperatures	3130	47 🛛 A7				
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656				
22 Time as a public health control: procedures & records	210	48 X Hot & cold water available; adequate pressure 21				
Consumer Advisory .2653		49 🗆 🔀 Plumbing installed; proper backflow devices 2				
23 Consumer advisory provided for raw or undercooked foods		50 🛛 🖸 Sewage & waste water properly disposed				
Highly Susceptible Populations .2653 24 Image: State St		51 🛛 🗆 Toilet facilities: properly constructed, supplied				
24 Image: Chemical Pasteurized foods used; prohibited foods not offered Chemical .2653, .2657						
25 Image: Chernical .2033, .2037 25 Image: Chernical Food additives: approved & properly used		53 X Physical facilities installed, maintained & clean 1				
26 X Image: Construction of the state of		Meets ventilation & lighting requirements;				
Conformance with Approved Procedures		designated areas used				
27 Image: Second and the second and	210	Total Deductions: 1.5				

- 1	11	
⊿	٨h	5
-	A.	3
	117	-

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendur	<u>n to Food I</u>	Establishment Inspection	Report			
Establishment Name: CREEKSIDE LANES SNACK BAR		Establishment ID: 3034011219				
Location Address: 1450 TRADE MART BLVD		Inspection Re-Inspection	Date: 01/11/2018			
City: WINSTON SALEM State: NC		Comment Addendum Attached?	Status Code: A			
County: <u>34 Forsyth</u> Zip: <u>2</u>	7127		Category #: _II			
Wastewater System: X Municipal/Community On-Site System Water Supply: X Municipal/Community On-Site System		Email 1:				
Permittee: _QUALITY SPORTS INC		Email 2:				
Telephone: (336) 771-9800		Email 3:				
Те	emperature (Observations				
Effective January 1,	2019 Cold H	lolding will change to 41 de	grees			
Item Location Temp Item 3 COMP HW 150 BOLOC	Location GNA RIC TAL		Location Temp			

SERV SAFE	J KISER 2/28/21	00	
CHILI	HH	163	
HOT DOG	MAKE TOP	39	
SLAW	MAKE TOP	34	
LETTUCE	RIC	44	
NACHO CHZ	DISPENSER	140	

39

Spell

RIC TALL

SANI

3 COMP-CL

500

TURKEY

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

13 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation - P-Observed zip lock bags of raw hamburger patties stored above french fries in reach-in freezer. Food shall be protected from cross contamination by storing raw foods separate from ready-to-eat foods. CDI-Unit rearranged by PIC.// 0 points

- 39 3-304.14 Wiping Cloths, Use Limitation C-Repeat-Measured less than 50 ppm chlorine in sanitizer solution in wiping cloth bucket. Wiping cloths shall be stored in proper strength sanitizing solution (50-200 ppm) when not in use. CDI-Staff educated and sanitizer provided at correct strength.
- 41 3-304.12 In-Use Utensils, Between-Use Storage C-Observed handle of ice scoop in contact with ice in soda station. Observed handle of scoop in contact with sugar in bulk sugar bin. Observed plastic ramekin stored in bag of powdered sugar. In-use utensils shall be stored with the handle above the food product. Discontinue use of plastic scoops as utensils.

Lock Text X							
Person in Charge (Print & Sign):	<i>First</i> JOE	KISER	Last	Xa	N Th		
Regulatory Authority (Print & Sign	First JENNIFER):	BROWN	Last	AB	en M	BAR	/
REHS IE	D: 2536 - Brown, Jennif	er		Verification Require	d Date://		
REHS Contact Phone Numbe	er: (<u>336</u>) <u>703</u> - <u>31</u>	31		\smile			
North Carolina Department	t of Health & Human Services ● D DHHS ر		olic Health Environmore Environmore	nental Health Section	 Food Protection Program 	am 💦	
Page 2 of Food Establishment Inspection Report, 3/2013							

Establishment ID: 3034011219

	Observations and Corrective Actions	1
	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	
45	4-501 11 Good Repair and Proper Adjustment-Equipment - C-Replace front cover to ice machine. Equipment shall be maintaine	- h

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C-Replace front cover to ice machine. Equipment shall be maintained in good repair.//0 points
- 49 5-205.15 (B) System maintained in good repair C-Repeat-Last handsink in women's restroom (1 of 4) is not functioning. Plumbing system shall be maintained in good repair. Repair handsink.//0 points
- 6-501.12 Cleaning, Frequency and Restrictions C-Repeat-Clean ceiling tiles above to-go storage. Physical facilities shall be maintined clean.//6-501.16 Drying Mops C-Observed mops drying upside down in holder so that mop head is in contact with handle. Mops shall be hung so that they can air-dry without soiling walls, equipment, or supplies (mop handles).//6-201.11 Floors, Walls and Ceilings-Cleanability C-Caulking needed around all toilets and laminate counter top in women's restroom. Cracked tile in front of beer cooler has been grouted for repair. Physical facilities shall be easily cleanable.//6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C-Cove base is not present throughout kitchen. The floors in food establishments in which water flush cleaning methods are used shall be provided with drains and be graded to drain, and the floor and wall junctures shall be coved and sealed.





Spell

Establishment ID: 3034011219

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034011219

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034011219

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

