Food Establishment Inspection Report Score: 99 Establishment Name: SILAS CREEK REHABILITATION Establishment ID: 3034160031 Location Address: 3350 SILAS CREEK PKWY Date: 01/10/2020 Status Code: A City: WINSTON SALEM State: NC Time In: $08:30^{\otimes}$ am pm Time Out: 11:30 am County: 34 Forsyth Zip: 27103 Total Time: 3 hrs 0 minutes SOUTHERN HEALTHCARE MANAGEMENT Permittee: Category #: I Telephone: (336) 765-0550 FDA Establishment Type: Nursing Home Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 🔀 🖂 🖂 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ☑ 1 0.5 0 X П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🔀 🗆 1 0.5 0 210 - -4 🔀 🗆 Proper eating, tasting, drinking, or tobacco use 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🗗 🗆 🗆 🖾 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🖾 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 \times Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 1.5 0 Proper cold holding temperatures |47|⊠|□ Non-food contact surfaces clean 1 0.5 0 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 2110 - | -Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| 🔀 | 🗆 | 🗆 Garbage & refuse properly disposed; facilities maintained 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

	Commen	t Addendum	to Food E	stablishment Inspection Report
Establishment Name: SILAS CREEK REHABILITATION				Establishment ID: 3034160031
Location Address: 3350 SILAS CREEK PKWY City: WINSTON SALEM State: NC				☐ Inspection ☐ Re-Inspection ☐ Date: 01/10/2020 Comment Addendum Attached? ☐ Status Code: A
County: 34 Forsyth		Zip: ²⁷¹⁰		Water sample taken? Yes No Category #: 1
Wastewater System: Municipal/Community □ On-Site System				Email 1: scdiet@sliascreekrehab.com
Water Suppl Permittee:	iy. 💢 Municipai/Comi	munity		Email 2:
	e: (336) 765-0550			Email 3:
		Ten	nperature O	bservations
	С	old Holding Te	emperature	is now 41 Degrees or less
Item Serv safe	Location Robert T 12/20/23	Temp Item 0 puree han	Location n cooling 9:3	Temp Item Location Temp 5 75
sanitizer	dish machine chl ppm	50 slice toma	ato walkin	37
water filter	6/27/19 16 month	0 tuna salad	d walkin	37
scram eggs	cooling 8:30	134 cut lettuce	e walkin	39
boiled eggs	cooling 8:30	89 milk carto	n walkin	40
puree ham	cooling 8:30	89 hamburge	er walkin thav	32
scam egg	cooling 9:35	112 raw chicke	en walkin thav	31
boiled egg	cooling 9:35	72 		
53 6-501. Previo 6-501.	11 Repairing-Premises us violations for wall re	s, Structures, Attach epair have been corr cy and Restrictions -	nments, and Fix rected. Floors, v - C There is a b	ures-Methods - C REPEAT Replace the tile at the drink station. valls, and ceilings shall be maintained in good repair. uildup of food particles/soiling under the dish machine area. Clean cal facilities cleaned as often as necessary to keep them clean.
	arge (Print & Sign): ^R uthority (Print & Sign): ^R	<i>First</i> obert <i>First</i> obert Nations	Tysinger	Robertysse Bunnell Chylid Phyan W:
	REHS ID:	1690 - Pinvan, An	aie	Vorification Populicad Date:

REHS Contact Phone Number: (336) 703 - 2618

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of Prode Establishment Inspection Report, 3/2013



Establishment Name: SILAS CREEK REHABILITATION Establishment ID: 3034160031

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.







Establishment Name: SILAS CREEK REHABILITATION Establishment ID: 3034160031

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SILAS CREEK REHABILITATION Establishment ID: 3034160031

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SILAS CREEK REHABILITATION Establishment ID: 3034160031

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



