Food Establishment Inspection Report

Establishment Name: FOOD LION #2655 PRODUCE						E	s	tablishment ID: 303	4020719				
Location Address: 4380 KINNAMON VILLAGE LC													
City: CLEMMONS State: North Carolina							_		tus Code: A				_
Zip: 27012 County: <u>34 Forsyth</u>					Time In: 1:15 PM Time Out: 3:00 PM						_		
Permittee: FOOD LION, LLC				Category#: II Produce Department and Salad							d		
Telephone: (336) 766-4755				FDA Establishment Type: Bar						u			
	Education	al Visit			•	271							_
Wastewater System:									\ <i>"-</i> 0				
🔇 Municipal/Community 🛛 🔿 On-Site System	1							Risk Factor/Interventio		_			
Water Supply:					Ν	lo. (of I	Repeat Risk Factor/Inter	vention Violations:	0			_
🔇 Municipal/Community 🛛 🔿 On-Site Supply			L										
			1 [On ad Data	il Due etie e e			_	
Foodborne Illness Risk Factors and Public Health In				G	hood	Rot	ail E	Good Reta Practices: Preventative measures		thor	ione	chorr	vicale
Risk factors: Contributing factors that increase the chance of developing for Public Health Interventions: Control measures to prevent foodborne illness				0	000	Ret	anr	and physical ob		uioę	jena.	chem	10413,
		I R VR										I R VR	
Compliance Status			1 -	Compliance Status OUT CDI R									
Supervision .2652	<u> </u>	T T							3, .2655, .2658	_			
1 X OUT N/A PIC Present, demonstrates knowledge, & performs duties	1 0			0 IN 1 (X		¶ X A		Pasteurized eggs used w Water and ice from appro		1	0.5 1	0	++-
2 Out N/A Certified Food Protection Manager	1 0							Variance obtained for spe		-	1		++-
Employee Health .2652			32	2 IN	OUT	19KA		methods		2	1	0	
3 Management, food & conditional employee; knowledge, responsibilities & reporting	2 1 0		F	Food	l Ter	nper	ratu	re Control .265	3, .2654				
4 Nour Proper use of reporting, restriction & exclusion	3 1.5 0		33	3 🕅	оυт	r		Proper cooling methods u					
5 Cour Procedures for responding to vomiting & diarrheal events	1 0.5 0					n MA	140	equipment for temperatur Plant food properly cooke			0.5		++-
Good Hygienic Practices .2652, .2653						1944 NXA				_	0.5 0.5		++-
6 YOUT Proper eating, tasting, drinking or tobacco use	1 0.5 0			6 i)(Thermometers provided 8		-	0.5		
7 X out No discharge from eyes, nose, and mouth	1 0.5 0		F	Food	l Ide	ntifi	cati	on .26	53				
Preventing Contamination by Hands .2652, .2653, .2655, .265 8 X out Hands clean & properly washed	6 4 2 0	<u> </u>	37	7 🕅	OUT	r		Food properly labeled: ori	ginal container	2	1	0	
9 X OUTINIANIO No bare hand contact with RTE foods or pre-			F	Prev	entio	on o	f Fo	od Contamination .26	52, .2653, .2654, .2656, .26	57			
approved alternate procedure property followed			31	в 🕅	оυт	r		Insects & rodents not pres animals	sent; no unauthorized	2	1	0	
10 X OUT N/A Handwashing sinks supplied & accessible	2 1 0							Contamination prevented	during food				
Approved Source .2653, .2655 11 X out Food obtained from approved source	2 1 0	1 1		9 X				preparation, storage & dis		2		0	
12 N OUT Food received at proper temperature	2 1 0			P 🕅 1 🕅				Personal cleanliness Wiping cloths: properly us	od & stored	-	0.5		
13 Out Food in good condition, safe & unadulterated	2 1 0		· · · · · · · · · · · · · · · · · · ·	_		N/A		Washing fruits & vegetabl		+	0.5 0.5	0	
14 IN OUT NO Required records available: shellstock tags, parasite destruction	2 1 0		i !						3, .2654	1	0.0	-	
Protection from Contamination .2653, .2654		1 1	i	3) (Γ	In-use utensils: properly s		1	0.5	0	
15 Kout N/AN/O Food separated & protected	3 1.5 0		i	4 IN				Utensils, equipment & line	ens: properly stored,				
16 our Food-contact surfaces: cleaned & sanitized	3 1.5 0				~			dried & handled		1	0%5	0	++-
17 X OUT Proper disposition of returned, previously served, reconditioned & unsafe food	2 1 0		4	5 💓	ουτ	r		Single-use & single-servic stored & used	e articles: properly	1	0.5	0	
Potentially Hazardous Food Time/Temperature .2653		· ·	40	6 💓	ουτ	r		Gloves used properly		1	0.5	0	
18 IN OUT X N/O Proper cooking time & temperatures 19 IN OUT X N/O Proper reheating procedures for hot holding	3 1.5 0 3 1.5 0		l	Uten	sils	and	Equ	upment .265	3, .2654, .2663				
20 IN OUT N/A YO Proper cooling time & temperatures	3 1.5 0							Equipment, food & non-fo					
21 IN OUT MANO Proper hot holding temperatures	3 1.5 0		47	7 IN	900			approved, cleanable, prop constructed & used	erly designed,	1	0.5	ø	
22 X out wake Proper cold holding temperatures 23 X out wake Proper date marking & disposition	3 1.5 0 3 1.5 0							Warewashing facilities: in	stalled, maintained &	1			++-
Time on a Dublic Health Control, procedures 8	3 1.5 0			вЖ				used; test strips			0.5		
24 IN OUT WINO TIme as a Public Health Control; procedures & records	3 1.5 0		i 🛏	9 IN	-			Non-food contact surface		1	% 5	0	
Consumer Advisory .2653		1 1	i	-		Faci			4, .2655, .2656				
25 IN OUT MA Consumer advisory provided for raw/ undercooked foods	1 0.5 0		5	1 X	OUT	N/A	-	Hot & cold water available Plumbing installed; prope	<u> </u>	1 2	0.5 1	0	++
Highly Susceptible Populations .2653			52	2 🕅	ουτ	r		Sewage & wastewater pro		2		0	
26 IN OUT A Pasteurized foods used; prohibited foods not offered	3 1.5 0		53	3 🕅	оυт	N/A		Toilet facilities: properly c & cleaned	onstructed, supplied	1	0.5	0	
Chemical .2653, .2657			· -	-			\vdash	Garbage & refuse properl	y disposed; facilities	F			++-
27 IN OUT Food additives: approved & properly used	1 0.5 0			4 🕅		1		maintained		1	0.5		\square
28 OUT N/A Toxic substances properly identified stored & used	2 1 0			5 IN			-	Physical facilities installed		1	0.5	x	++-
Conformance with Approved Procedures .2653, .2654, .2658			50	6 X	ουτ	r		Meets ventilation & lightin designated areas used	g requirements;	1	0.5	0	
29 IN OUT WATER Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan	2 1 0						•		TOTAL DEDUCTIONS:	1			
North Carolina Department of Health 8	Human Sond	oe Divisio	n of P	ublic	Hon	lth -	En						

鎁

alth & Human Services • Division of Public Health • Environmental Program DHHS is an equal opportunity employer. Page 1 of Food Establishment Inspection Report, 12/2023 NCPH

Comment Addendum to Food Establishment Inspection Report

Establishment Name: FOOD LION #2655 PRODUCE	Establishment ID: 3034020719					
Location Address: <u>4380 KINNAMON VILLAGE LOOP</u> City: CLEMMONS State: NC	X Inspection Re-Inspection Date: 05/06/2024 Educational Visit Status Code: A					
County: <u>34 Forsyth</u> Zip: <u>27012</u>	Comment Addendum Attached? X Category #: II					
Wastewater System: 🕅 Municipal/Community 🔲 On-Site System Water Supply: 🕅 Municipal/Community 🔲 On-Site System	Email 1:s2655am@retail.foodlion.com Email 2:					
Permittee: FOOD LION, LLC						
Telephone: (336) 766-4755	Email 3:					

		Temperature Observations							
tem/Location	Temp It	tem/Location	Temp	Item/Location	Temp				
ettuce/walk-in cooler	39								
cut cantaloupe/sales case	41								
cut watermelon/sales case	41								
not water/3 comp sink	105								
uat sanitizer/3 comp sink (ppm)	200								
Produce maxx/prep sink (ppm)	30								
	First	Last		\sim					
Person in Charge (Print & Sign):		Bain		Brange DC	h				
	First	Last	_)				
Regulatory Authority (Print & Sign):	Aubrie Welch	Chanell Bryar	nt	Audia Dunreus (Mund)	2				
REHS ID:2519 - Welch, Aubrie		Verification Dates: Priority:		Priority Foundation:	Core:				
EHS Contact Phone Number: (336)	703-3131		uthorize final e received via						

Establishment Name: FOOD LION #2655 PRODUCE

Establishment ID: 3034020719

Date: 05/06/2024 Time In: 1:15 PM Time Out: 3:00 PM

Certifications							
Name	Certificate #	Туре	Issue Date	Expiration Date			
Philip Mancuso	21921736	Food Service		03/03/2028			
Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.							

44 4-901.11 Equipment and Utensils, Air-Drying Required (C) Metal bowls stacked together were still wet. Allow dishes to air dry.

- 47 4-501.11 Good Repair and Proper Adjustment Equipment (C) Evaporator box in walk-in cooler is corroding. Equipment shall be maintained in good repair
- 49 4-602.13 Nonfood Contact Surfaces (C) Clean dust from fan guards, clean dust from PVC jacketed pipe, clean spray arm at 3 comp sink. Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.
- 55 6-501.11 Repairing Premises, Structures, Attachments, and Fixtures Methods (C) Reattach baseboard under 3 comp sink. Faucet on left sink in women's room is loose. Physical facilities shall be maintained in good repair.