| Food Establishment Inspection Report se | | | | | | | | core: <u>95</u> | | |
|---|-------------------|-------|------|------|--------------|----------|--------|-----------------|--|-----------------|
| Establishment Name: 6TH AND VINE WINE BAR AND CAFE Establishment ID: 3034011657 | | | | | | | | | | |
| Location Address: 209 W 6TH STREET | | | | | | | | [| Inspection Re-Inspection | |
| City: WINSTON SALEM | State | | ١C | | | Da | ate | : 0 | 06 / 23 / 2017 Status Code: A | |
| Zip: 27101 County: 34 Forsyth Time In: $\emptyset 2$: $30^{\circ} \otimes pm$ Time Out: $\emptyset 5$: $\emptyset 0^{\circ} \otimes pm$ | | | | | | | | | | |
| Permittee: ZIN'S, INC. Total Time: 2 hrs 30 minutes | | | | | | | | | | |
| Telephone: (336) 725-5577 | | | | | | С | ate | go | ry #: _IV | |
| | | 0:4 | | | | F | DA | Es | stablishment Type: Full-Service Restaura | nt |
| Wastewater System: Municipal/Community [| | | | stei | m | N | o. (| of F | Risk Factor/Intervention Violations: | 3 |
| Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 | | | | | | | | | | |
| Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. | | | | | | | | | thogens, chemicals, | |
| IN OUT N/A N/O Compliance Status | OUT | CDI | R VR | | IN | OUT | N/A | N/O | Compliance Status | OUT CDI R VR |
| Supervision .2652 | | | | | afe F | | | d W | | |
| □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | 2 | | | 28 | | | X | | Pasteurized eggs used where required | |
| Employee Health .2652 2 Image: Comparison of the second s | 3 1.5 (| | | | × | | | | Water and ice from approved source | 210 |
| 2 Image: Constraint of the second s | | | | 30 | | | × | | Variance obtained for specialized processing methods | |
| Good Hygienic Practices .2652, .2653 | | | | | T 1 | Tem | nper | atur | e Control .2653, .2654 Proper cooling methods used; adequate | |
| 4 Proper eating, tasting, drinking, or tobacco use | 2 🗙 🛛 | | ⊠•□ | | × | | | | equipment for temperature control | |
| 5 X No discharge from eyes, nose or mouth | | 0 | | 32 | | | | X | Plant food properly cooked for hot holding | 10.50 |
| Preventing Contamination by Hands .2652, .2653, .2655, .2656 | | | | | × | | | | Approved thawing methods used | 10.50 |
| 6 🛛 🗆 Hands clean & properly washed | 42 | 0 | | 34 | \mathbf{X} | | | | Thermometers provided & accurate | 10.50 |
| 7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed | 3 1.5 | 0 🗆 | | | ood | - | ntific | atic | | |
| 8 X - Handwashing sinks supplied & accessible | 21(| | | | | ntio | n of | Ear | Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656, .2 | |
| Approved Source .2653, .2655 | | | | | | | | FU | Insects & rodents not present; no unauthorized | |
| 9 🔀 🗖 Food obtained from approved source | 21(| | | | | | | | animals Contamination prevented during food | |
| 10 Food received at proper temperature | 21 | 0 | | | | _ | | | preparation, storage & display | |
| 11 🛛 🗌 Food in good condition, safe & unadulterated | 210 | 0 | | | | | | | Personal cleanliness | |
| 12 D Required records available: shellstock tags, parasite destruction | 210 | 0 | | | | | | | Wiping cloths: properly used & stored | |
| Protection from Contamination .2653, .2654 | <u> </u> | | | | | | | | Washing fruits & vegetables | 1 0.5 0 |
| 13 Food separated & protected Food separated & protected | 3 1.5 | K X | | | rope | er Us | se oi | r Ute | ensils .2653, .2654 In-use utensils: properly stored | |
| 14 Image: Second and Secon | 3 1.5 | K X | | | | X | | | Utensils, equipment & linens: properly stored, dried & handled | |
| 15 🛛 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food | 21(| 0 | | 42 | | | | | | |
| Potentially Hazardous Food Time/Temperature .2653 | | | | +⊢ | × | | | | Single-use & single-service articles: properly stored & used | |
| 16 Image: Second state 18 Image: Second state 19 Image: Second state 10 Image: Second state 110 Image: Second s | 3 1.5 (| | | | | | | | Gloves used properly | |
| 17 Proper reheating procedures for hot holding | 3 1.5 (| | | | | | and | Equ | ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces | |
| 18 X Image: Description of the second se | 3 1.5 (| | | 45 | | X | | | approved, cleanable, properly designed, constructed, & used | |
| 19 🛛 🗆 | 3 1.5 (| | | 46 | | | | | Warewashing facilities: installed, maintained, & used; test strips | 1050 🗆 🗆 🗆 |
| 20 🛛 🗀 🗀 Proper cold holding temperatures | 3 1.5 (| | | 47 | \mathbf{X} | | | | Non-food contact surfaces clean | 10.50 |
| 21 🛛 🗆 🗆 Proper date marking & disposition | 3 1.5 (| | | | hysi | | Faci | litie | s .2654, .2655, .2656 | |
| 22 Time as a public health control: procedures & records | 210 | 0 🗆 | | 48 | × | | | | Hot & cold water available; adequate pressure | 210 🗆 🗆 |
| Consumer Advisory .2653 | | · · · | - | 49 | | X | | | Plumbing installed; proper backflow devices | 21 × □□□ |
| 23 X Consumer advisory provided for raw or undercooked foods | 1 0.5 (| | | 50 | × | | | | Sewage & waste water properly disposed | 210 🗆 🗆 |
| Highly Susceptible Populations .2653 24 Image: State and State | | | | 51 | × | | | | Toilet facilities: properly constructed, supplied & cleaned | 1050 |
| 24 Chemical Pasteurized toods used, prohibited toods not offered | | | | 52 | X | | | | Garbage & refuse properly disposed; facilities maintained | 10.50 |
| 25 C Korrenteau 2003, 2007 | 1 0.5 (| | | 53 | | X | | | Physical facilities installed, maintained & clean | |
| 26 🕅 🗋 Toxic substances properly identified stored, & used | 210 | | | 54 | | X | | | Meets ventilation & lighting requirements; | |
| Conformance with Approved Procedures .2653, .2654, .2658 | | | | | | <u> </u> | | | designated areas used | |
| 27 Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced oxygen packing criteria or HACCP plan Image: Specialized process, reduced process, reduced packing criteria or HACCP plan Image: Specialized packing | | | | | | | | | | |
| North Carolina Department of Health & Human Servic | ces ● D DHHS i | | | | | | | | | ogram cr |

| | | | З |
|------|---|----|---|
| Dago | 1 | of | |



Comment Addendum to Food Establishment Inspection Report

| | | | | | | | | 8 | |
|--|--|-------------|--------------------------------|------------------------|---|-------|-------------------------------|--|------|
| Establishm | nent Name: 6TH AND VI | NE WINE E | BAR AND CAF | E | Establishme | nt ID |) : <u>30340</u> 11657 | | |
| City: <u>WIN</u> County: _ Wastewate Water Sup Permittee | Address: 209 W 6TH ST NSTON SALEM 34 Forsyth er System: X Municipal/Comm ply: X Municipal/Comm e: ZIN'S, INC. ne: (336) 725-5577 | nunity 🗌 (| _ Zip: 27101 On-Site System | | Inspection Comment Adder Email 1: ^{sixtha} Email 2: Email 3: | ndum | | Date: 06/23/2017 Status Code: A Category #: IV | |
| | | | Temp | erature Ob | servations | | | | |
| ltem soup | Location hot hold | Temp 150 | Item ambient | Location bar cooler | Те 44 | emp | Item | Location | Temp |
| servsafe | Susan Peele 9-28-20 | 00 | hot water | three comp | sink 14 ⁻ | 1 | | | |
| sauce | ice bath | 45 | final rinse | dishmachine | e 16 [.] | 1 | | | |

| tomatoes | make unit | 43 | quat sanitizer | three comp sink | 200 |
|---------------|----------------|----|----------------|--------------------|----------|
| pico de gallo | upright cooler | 45 | grilled onions | cooling about 1 hr | 76 |
| ambient | upright | 45 | turkey | upright | 43 |
| tuna | reach in | 43 | | | |
| ambient | walk in cooler | 42 | | | |
| | | | <u></u> | a and Correctiv | o Action |

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

2-401.11 Eating, Drinking, or Using Tobacco - C: REPEAT: Employee drink on shelf above food for pay. Employee drinks shall be stored to prevent contamination of food and clean equipment (i.e. at the bottom). CDI: Drink moved to bottom shelf.

4

3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation - P: 0 pts. Rolls stored below cases of 13 unwashed vegetables in walk in cooler. Food shall be protected from cross contamination. CDI: Rolls moved. Store unwashed vegetables below ready-to-eat foods.

4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P: 0 pts. A few crocks and coffee 14 mugs soiled. Equipment and utensils shall be maintained clean to sight and touch. CDI: All sent to be re-washed during inspection.

| Person in Charge (Print & Sign): | Tracy | First | <i>Last</i> Williams | TRAIN | | | |
|---|----------|------------------|-------------------------|---------------------------------|--|--|--|
| Regulatory Authority (Print & Sign) | Michelle | First | Last Bell REHS | Michur Bueres | | | |
| REHS ID | : 2464 | - Bell, Michelle | | Verification Required Date: / / | | | |
| REHS Contact Phone Number: (336) 703 - 3141 | | | | | | | |
| North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of <u>3</u> Food Establishment Inspection Report, 3/2013 | | | | | | | |

Comment Addendum to Food Establishment Inspection Report

Establishment Name: 6TH AND VINE WINE BAR AND CAFE

Establishment ID: 3034011657

| Observations and Corrective A | ctions |
|--|--------|
| and and the second state of the first state of the state of the second state of the | |

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

42 4-901.11 Equipment and Utensils, Air-Drying Required - C: REPEAT: Many containers stacked wet. After washing, rinsing, and sanitizing, equipment and utensils shall be completely air-dried prior to stacking.//4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing - C: Employee cell phone stored in bin with utensils. Utensils shall be stored to prevent contamination. CDI: Cell phone removed.

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C: REPEAT: The following equipment is in need of repair: shelving for dry ingredients rusting, shelving brackets throughout rusted, hooks above three comp sink rusting, wrap condensate line in walk in cooler with pvc flexible pipe wrap, repaint bar cabinet shelving, right sink fixture cracked in women's restroom, wheel of reach in cooler missing, seal threshold inside of walk in cooler to floor, clean and assess additional shelving for rust and replace, if needed. Equipment shall be maintained in good repair.
- 49 5-203.15 Backflow Prevention Device. Carbonator C: 0 pts. No backflow preventer installed at carbonator. Install backflow preventer.//5-204.12 Backflow Prevention Device, Location C: Vacuum breaker installed at mopsink currently in wrong location. Move backflow preventer below shut-off valve opposite chemical tower.
- 6-501.12 Cleaning, Frequency and Restrictions C: REPEAT: Wall and floor cleaning needed in bar (cobwebs present). Light dust on ceiling by vents in kitchen. Grease trap lid soiled. Floor cleaning needed in dry storage areas. Floors, walls, and ceilings shall be maintained clean.//6-201.11 Floors, Walls and Ceilings-Cleanability C: In men's restroom, chipped/bubbled wall paint by urinal. Wooden ceiling frame around light fixture near dishmachine coming loose/not approved. Floors, walls, and ceilings shall be maintained easily cleanable.
- 54 6-303.11 Intensity-Lighting C: REPEAT: Lighting low in the following areas (in ftcd): veggie prep sink 38-44, stove line 26-39, women's restroom 3-6, men's restroom 2-8, bar 20-39. Increase lighting to 20 ftcd at plumbing fixtures in restrooms and 50 ftcd in areas of food prep.





Spell

Establishment Name: 6TH AND VINE WINE BAR AND CAFE

Establishment ID: 3034011657

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: 6TH AND VINE WINE BAR AND CAFE

Establishment ID: 3034011657

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: 6TH AND VINE WINE BAR AND CAFE

Establishment ID: 3034011657

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

the



Spell