Food Establishment Inspection	Re	epo	ort							Score: <u>98</u>	
Establishment Name: VILLAGE INN EVENT CENTER Establishment ID: 3034012137											
Location Address: 6205 RAMADA DRIVE							□ Inspection □ Re-Inspection				
City: CLEMMONS State: NC						Date: Ø 3 / 1 4 / 2 Ø 1 8 Status Code: A					
Zip:         27012         County:         34 Forsyth						Time In: $08$ : $20^{\circ}$ pm Time Out: $11$ : $15^{\circ}$ pm pm					
Permittee: KZ HOSPITALITY LLC					Total Time: _2 hrs 55 minutes						
Telephone:         (336) 766-9121						Ca	ate	go	ry #: _IV		
-		0.1				F	DA	Es	stablishment Type: Full-Service Restaur	ant	
Wastewater System: Municipal/Community			-	ste	m	N	o. c	of F	Risk Factor/Intervention Violations	3: 2	
Water Supply: Municipal/Community On-	Site	Sup	ply			N	o. d	of F	Repeat Risk Factor/Intervention V	iolations:	
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing foodk Public Health Interventions: Control measures to prevent foodborne illness of	oorne illr		s		Goo	d Re	tail F	Pract	Good Retail Practices tices: Preventative measures to control the addition of and physical objects into foods.	pathogens, chemicals,	
IN OUT N/A N/O Compliance Status	OUT	CD	RV	R	IN	OUT	N/A	N/O	Compliance Status	OUT CDI R VR	
Supervision .2652					Safe			d Wa	ater .2653, .2655, .2658		
accredited program and perform duties	2			28	_		X		Pasteurized eggs used where required		
Employee Health         .2652           2         X            Management, employees knowledge; responsibilities & reporting         .2652	3 1.5			29					Water and ice from approved source		
2     Image: constraint of the second s				30			×		Variance obtained for specialized processing methods		
Good Hygienic Practices .2652, .2653					1	<u> </u>	nper	atur	e Control .2653, .2654 Proper cooling methods used; adequate		
4 X     Proper eating, tasting, drinking, or tobacco use	21			–ור				_	equipment for temperature control		
5 🔀 🗌 No discharge from eyes, nose or mouth	1 0.5				2				Plant food properly cooked for hot holding		
Preventing Contamination by Hands .2652, .2653, .2655, .2656						-			Approved thawing methods used		
6 🛛 🗆 Hands clean & properly washed	42	0							Thermometers provided & accurate		
7       X       Image: A state of the state of	3 1.5	0			iood	1	ntific	catio	n .2653 Food properly labeled: original container	21000	
8 🛛 🗆 Handwashing sinks supplied & accessible	21			ᆔᄂ			n of	Foc	od Contamination .2652, .2653, .2654, .2656,		
Approved Source .2653, .2655			1			T 1			Insects & rodents not present; no unauthorized animals		
9 🛛 🗌 Food obtained from approved source		0		37	10	X			Contamination prevented during food preparation, storage & display		
10   Image: Second state     Food received at proper temperature	21	_		38					Personal cleanliness		
11 X Food in good condition, safe & unadulterated	21	_							Wiping cloths: properly used & stored		
12 C Required records available: shellstock tags,	21								Washing fruits & vegetables		
Protection from Contamination       .2653, .2654         13       Image: Contamination in the second s	3 1.5						se of	f Ute	ensils .2653, .2654		
14     X     Food-contact surfaces: cleaned & sanitized				41					In-use utensils: properly stored	10.50	
Description of the set of a state of a state of the second state o	3 1.5	_		42	2				Utensils, equipment & linens: properly stored, dried & handled		
15         Image: Constraint of the second seco	21			43					Single-use & single-service articles: properly stored & used		
16 □ □ ⊠ Proper cooking time & temperatures	3 1.5			44					Gloves used properly		
17  Proper reheating procedures for hot holding	3 1.5						nd	Equi	ipment .2653, .2654, .2663		
18 X C Proper cooling time & temperatures	3 1.5			45	5	X			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,		
19 X Proper hot holding temperatures	3 1.5	XX		146					constructed, & used Warewashing facilities: installed, maintained, 8		
20 X D Proper cold holding temperatures	3 1.5			] 47					used; test strips Non-food contact surfaces clean		
21 🛛 🗆 🗆 Proper date marking & disposition	3 1.5			_	Phys		Faci	lities			
22 T Time as a public health control: procedures &									Hot & cold water available; adequate pressure	21000	
Consumer Advisory .2653				49					Plumbing installed; proper backflow devices	21000	
23 🛛 🗆 Consumer advisory provided for raw or undercooked foods	1 0.5			50					Sewage & waste water properly disposed		
Highly Susceptible Populations .2653				51					Toilet facilities: properly constructed, supplied & cleaned		
	3 1.5				2 🖂				Garbage & refuse properly disposed; facilities		
Chemical         .2653, .2657           25         Image: Chemical interval inte	1			] 53		X			maintained Physical facilities installed, maintained & clean		
26     Image: Cool additives. approved & property used       26     Image: Cool additives. approved & property identified stored, & used									Meets ventilation & lighting requirements;		
Conformance with Approved Procedures	reili	비니							designated areas used		
27     Image: Second Harles with Approved Flocedures (2005, 2007, 2005)       27     Image: Second Harles (2007, 2007)       28     Image: Second Harles (2007, 2007)       29     Image: Second Harles (2007, 2007)       20     Image: Second Harles (2007, 2007	21								Total Deduction	ns: 2	

1		-
4	Ņ	S
	11/	1.2

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

stablishment Inspection Report	
Establishment ID: 3034012137	

Location Address: 6205 RAMADA DRIVE	State: NC	Inspection     □ Re-Inspection     Comment Addendum Attached?     □	Date: <u>03/14/2018</u>				
County: 34 Forsyth	Zip:		Category #: _IV				
Wastewater System: ⊠ Municipal/Community □ Water Supply: ⊠ Municipal/Community □		Email 1: lschlotfeldt@sh-hotels.com					
Permittee: KZ HOSPITALITY LLC	-	Email 2:					
Telephone: (336) 766-9121		Email 3:					
Temperature Observations							

Effective January 1, 2019 Cold Holding will change to 41 degrees								
ltem ServSafe	Location A. Cabrera 6-19-22	Temp 00	ltem Gravy	Location Buffet	Temp Item 146	Location	Temp	
Hot water	3-compartment sink	136	Sausages	Buffet	155			
Rinse cycle	Dish machine	162	Eggs	Heat lamp	133			
Pressure (psi)	Dish machine	25	Potatoes	Buffet	124			
Eggs	Buffet	140	Melons	Cooling	50			
Grits	Buffet	142						
Melons	Walk-in cooler	40						
Tilapia	Walk-in cooler	41						

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P - 0 pts - Food debris was present on 1 ladle, 2 pans, and 1 plate in clean dish storage. Food-contact surfaces of equipment and utensils shall be clean to sight and touch. CDI - Soiled items washed, rinsed, and sanitized.//4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C - 0 pts - Minor cleaning is needed inside of the ice machine. Ice machines shall be cleaned at a frequency necessary to prevent recontamination.

- 19 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P 0 pts -Potatoes (124F) and eggs (133F) were holding below 135F. Potentially hazardous food shall be held at 135F or above. CDI - Eggs and potatoes discarded.
- 37 3-305.11 Food Storage-Preventing Contamination from the Premises C 2 beverage pitchers were stored without lids/covers. Several boxes of food were stored on the floor of the walk-in freezer. Food shall be stored where it is not exposed to splash, dust, or other contamination and at least 6 inches above the floor. CDI - Pitchers covered and boxes relocated to shelving.

Lock Text							
Dorson in Chargo (Drint & Sign):	Araceli	First	Cabrera	Last	Owwerti, C		
Person in Charge (Print & Sign):		First		Last			
Regulatory Authority (Print & Sign)	Grayson:		Hodge		Haym Hodge RettSI		
REHS ID:       2554 - Hodge, Grayson       Verification Required Date:       //							
REHS Contact Phone Number	: ( <u>3</u> 3	<u>6</u> ) <u>703</u> - <u>338</u>	<u>83</u>				
North Carolina Department	of Health &			ublic Health <ul> <li>pportunity em</li> </ul>	Environmental Health Section • Food Protection Program		
		Page 2 of Foo	d Establishm	ent Inspection	Report, 3/2013		

Establishment ID: 3034012137

Spell

Observations and Corrective Actions	
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	

- 42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C Cloths are being used to dry dishes after they are cleaned. Cleaned equipment and utensils shall be fully air-dried. Separate or stagger clean dishes until they are completely dry.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C 0 pts Repair/replace the following: one shelf in the chemical storage room is rusting, remove the aluminum foil on the side of the hot cabinet (near ice machine), the broken cabinet hinge at the bar, clean and reseal around crevices on the outside of the dish machine, and the damaged hood filter above the stove. Equipment and utensils shall be maintained in good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C 0 pts Cleaning is needed on the sprayer beside of the dish machine, on the fan guards in the walk-in cooler, and on a few shelves throughout. Nonfood contact surfaces shall be maintained clean.
- 6-501.12 Cleaning, Frequency and Restrictions C Cleaning is needed in the following areas: perimeter of the floor in the alcohol storage room and dry storage, floors under large equipment/3-compartment sink, the wall behind the soda boxes at the bar, and the carpet in the front storage room.//6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C Coved baseboard is needed inside of the tea/coffee room.//6-201.11 Floors, Walls and Ceilings-Cleanability C Repair minor paint damage on walls nears storage rooms. Recaulk around one toilet and adjust wall plate to be flush with the wall in the men's restroom. Floors, walls, and ceilings shall be smooth and easily cleanable.



Page 3 of <sup>3</sup>

Establishment ID: 3034012137

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012137

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012137

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

