Food Establishment Inspection Report Score:													Score: <u>94.5</u>									
Establishment Name: QDOBA Establishment												stablishment ID: 3034012145										
ocation Address: 57 MILLER STREET										Inspection ☐ Re-Inspection												
City: WINSTON SALEM State: NC										Date: 11 / 17 / 2014 Status Code: A												
Zip: 27104 County: 34 Forsyth										Time In: <u>Ø 1</u> : <u>4 Ø ⊗ am</u> Time Out: <u>Ø 3</u> : <u>4 5 ⊗ am</u>												
•											Total Time: 2 hrs 5 minutes											
												Category #: III										
	Telephone: (336) 724-2376											FDA Establishment Type: Fast Food Restaurant										
N	<b>Vastewater System:</b> $oxtimes$ Municipal/Community $oxdot$ On-Site Syst												אכ	f Risk Factor/Intervention Violations: 2								
N	ate	r S	Sup	ply	r: ⊠Municipal/Community □On-	Site	S	uppl	ly						f Repeat Risk Factor/Intervention Violations:							
					5.1.5										<u> </u>							
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.											Good Retail Practices  Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,											
					ventions: Control measures to prevent foodborne illness or										and physical objects into foods.							
			N/A	N/O	Compliance Status	OU <sup>-</sup>	T	CDI F	R VR		IN	OUT	N/A	N/	N/O Compliance Status OUT CDI R VR							
	upe				.2652 PIC Present; Demonstration-Certification by				J.	1	Т			ld \	Water .2653, .2655, .2658							
			e He	alth	accredited program and perform duties .2652		[0]		<u> </u>	28		-	×		Pasteurized eggs used where required 1 0.5 0 0 0							
2	IIIPI X	∪yei □	е пе	aiui	Management, employees knowledge; responsibilities & reporting	3 1.5	0		7	1	×				Water and ice from approved source							
3	X	_				3 1.5	$\vdash$	H		30	드	$\Box$	×	L	Variance obtained for specialized processing methods							
		Proper use of reporting, restriction & exclusion    3   5   0							1			per	rat	ture Control .2653, .2654  Proper cooling methods used; adequate								
4	×		91011		Proper eating, tasting, drinking, or tobacco use	2 1	0		JE	l	X			L	equipment for temperature control							
5	×	П			No discharge from eyes, nose or mouth	1 0.5	0		╁	11	×			F	Plant food properly cooked for hot holding							
		ntin	ig Co	onta	mination by Hands .2652, .2653, .2655, .2656		1-			33	X			E	Approved thawing methods used							
6		X			Hands clean & properly washed	4 🗶	0			34		X			Thermometers provided & accurate							
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0		1	_	_		ntific	cat	ation .2653							
8	X	П			Handwashing sinks supplied & accessible	2 1		П	╁	1	X				Food properly labeled: original container							
		ove	d So	urce						1 -	reve	ntio	n of	1 +	Food Contamination .2652, .2653, .2654, .2656, .2657 Insects & rodents not present; no unauthorized							
9	X				Food obtained from approved source	2 1	0			<b> </b>	-	-		H	animais							
10				X	Food received at proper temperature	2 1	0			1	×				preparation, storage & display							
11	X				Food in good condition, safe & unadulterated	2 1	0			1	X				Personal cleanliness							
12			×		Required records available: shellstock tags, parasite destruction	2 1	0		10	11	×				Wiping cloths: properly used & stored							
P	rote	ctio		om C	Contamination .2653, .2654					11	X				Washing fruits & vegetables							
13	X				Food separated & protected	3 1.5	0						se of	f L	Utensils .2653, .2654							
14		X			Food-contact surfaces: cleaned & sanitized	3 🗙	0				X	Ш			In-use utensils: properly stored							
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	2 1	0			42	X				Utensils, equipment & linens: properly stored, dried & handled							
F	oter	ntial	ly Ha	azar	dous Food Time/Temperature .2653					43	X				Single-use & single-service articles: properly stored & used							
16				×	Proper cooking time & temperatures	3 1.5	0			44	X				Gloves used properly							
17				X	Proper reheating procedures for hot holding	3 1.5	0			U	tens	ils a	nd	Ec	quipment .2653, .2654, .2663  Equipment, food & non-food contact surfaces							
18	X				Proper cooling time & temperatures	3 1.5	0			45		X			approved, cleanable, properly designed, constructed. & used							
19	X				Proper hot holding temperatures	3 1.5	0			46	×				Warewashing facilities: installed, maintained, & 1 0.5 0 0 0							
20	X				Proper cold holding temperatures	3 1.5	0			47		X			Non-food contact surfaces clean							
21	X				Proper date marking & disposition	3 1.5	0			Р	hysi	cal I	Faci	ilit								
22		П	×	П	Time as a public health control: procedures &	2 1	О	П	1	48	X				Hot & cold water available; adequate pressure							
C	ons	ume		dviso	records pry .2653					49	×				Plumbing installed; proper backflow devices							
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5	0			50	X				Sewage & waste water properly disposed							
H	lighl	y Sı		ptib	e Populations .2653	<del>一</del>			Ť	51		H			Toilet facilities: properly constructed, supplied							
24			×		Pasteurized foods used; prohibited foods not offered	3 1.5	0			H	×		_	H	& cleaned Garbage & refuse properly disposed; facilities							
) )	hen	nica			.2653, .2657					╌		-			maintained ————————————————————————————————————							
25	X	<u>니</u>			Food additives: approved & properly used	1 0.5	H			53		X		H	Physical facilities installed, maintained & clean							
26	X	ш	ш	1	Toxic substances properly identified stored, & used	2 1	JI ()		니니	1154	$\mathbf{X}$	ı∐l		1	Meets ventilation & lighting requirements;							



Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 5.5

stablishment Name: QDOBA				t inspectio	I								
		Estab	Establishment ID: 3034012145										
Location Address: 57 MILLER STREET	•	XInsp	pection [	Re-Inspection	Date: 11/17/2014								
City: WINSTON SALEM	Sta	te: NC Comme	ent Addendum	n Attached?	Status Code: A								
County: 34 Forsyth	Zip:_ <sup>27104</sup>		Category #:										
Wastewater System:   ✓ Municipal/Community  Water Supply:   ✓ Municipal/Community		Email	1: jhorton@y	yadtel.net									
Water Supply:   ✓ Municipal/Community  Permittee: Q PIEDMONT RESTAURAN		Email											
Telephone: (336) 724-2376		 Email											
	Tempe	erature Observa	tions										
	emp Item	Location	Temp		Location	Temp							
Lettuce make unit top 42		make unit top	158		not cabinet	155							
tomatoes make unit top 40		make unit top	170 168	-	not cabinet	155 135							
corn salsa make unit top 39 chicken make unit top 16		walk in cooler	42		nand sink Duckets (ppm)	200							
steak make unit top 15		walk in cooler	42		,	200							
ground beef make unit top 16		walk in cooler	40		hree comp sink (ppm)	200							
black beans make unit top 15		walk in cooler	41	- Samuzei	птее соттр зитк (рртт)	200							
refried beans make unit top 15		hot cabinet	160										
employees shall turn off faucets with paper towels or a suitable barrier. PIC instructed employees in establishment on proper hand washing procedures, correct procedures were observed during the inspection after instruction.  4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P Two metal pans stored with cheese sauce stuck between them. One onion slicer stored with dried onions still on the blade and body of the utensil. The ice chute to the soda machine has mildew growth inside of it. Food contact surfaces shall be clean to sight and touch. Regularly check stored utensils for cleaning. CDI: Noted items were cleaned during the inspection. CDI.  the 4-502.11 (B) Good Repair and Calibration - PF Digital thermometer on site is damaged and only displays top half of numbers. Ensure that thermometers are in good repair and readily usable for testing temperatures of hot and cold foods. Replace the damaged thermometer with a thin diameter probe thermometer. 0 pts													
Ensure that thermometers are in goo	d repair and readily	y usable for testing t	site is dama										

REHS ID: 2450 - Chrobak, Joseph

\_\_ Verification Required Date: \_\_\_\_/ \_\_\_/ \_\_\_\_\_/

REHS Contact Phone Number: (336)703 - 3164



14



Establishment Name: QDOBA Establishment ID: 3034012145

#### **Observations and Corrective Actions**



- 4-501.11 Good Repair and Proper Adjustment-Equipment C Gaskets torn on make unit cooler, walk in cooler door, and on the back reach in cooler. Replace damaged gaskets. Rust is present on shelves in the front make unit, walk in cooler, and by the three compartment sink, heavy rust damage present on back prep table. Repair or replace rusted shelving. Cracking damage present in the front service line laminate cabinets. Duct tape is wrapped around a fryer basket handle and pizza cutters handles are melted and no longer easily cleanable. Replace damaged utensils. One of the white cutting boards has deep cut marks inhibiting cleanability. Repair or replace the cutting board, monitor others for damage. Equipment shall be maintained in good repair. Repair or replace noted items.
- 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Detail cleaning needed on shelves in the walk in cooler. Mold growth is present on the condensation line wrap in the walk in cooler. Clean the deep fryer cabinet where grease has accumulated. Non food contact surfaces shall be maintained clean.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Baseboard tile through the kitchen is pulling from the walls. Evaluate the baseboard and regrout where needed to seal gap between tile and wall. Caulking needed where right side of the walk in cooler meets the FRP wall to seal gap. Air vents in men and women's restrooms are pulling out from the ceiling and need to be reattached, Light ceiling damage in the mens restroom needs to be repaired. Floors, walls, and ceilings shall be kept in good repair to allow for easy cleaning.





Establishment Name: QDOBA Establishment ID: 3034012145

### **Observations and Corrective Actions**





Establishment Name: QDOBA Establishment ID: 3034012145

### **Observations and Corrective Actions**





Establishment Name: QDOBA Establishment ID: 3034012145

### **Observations and Corrective Actions**



