Food Establishment Inspection Report Score: 95 Establishment Name: 19TH HOLE AT PINE KNOLLS Establishment ID: 3034012390 Location Address: 1100 QUAIL HOLLOW RD Date: 05/15/2019 Status Code: A City: KERNERSVILLE State: NC Time In: $\underline{\emptyset} \ 9 : \underline{\emptyset} \ \underline{\emptyset} \ \underline{\otimes} \ \underset{pm}{\overset{\text{am}}{\otimes}}$ Time Out: 1 2 : Ø Ø ⊗ pm Zip: 27284 34 Forsyth County: _ Total Time: 3 hrs 0 minutes **BUTLER GOLF LLC** Permittee: Category #: II Telephone: (336) 993-8300 FDA Establishment Type: Fast Food Restaurant Wastewater System: ☐ Municipal/Community ☒ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 X Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ 1 0.5 0 🗆 🗆 □ □ X Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🖾 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🛛 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 - \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🗆 \square ☐ Proper date marking & disposition 3 **X** 0 **X Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🗆 | 🗆 | 🔀 2 1 0 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

				OOU ES				<u>.</u>
Establishment Name: 19TH HOLE AT PINE KNOLLS					Establishr	ment ID: 303401239		
Location Address: 1100 QUAIL HOLLOW RD					☑Inspection ☐Re-Inspection Date: 05/15/2019			
City: KERNERSVILLE State: NC				. NC	Comment Addendum Attached? Status Code: A			
County: 34 Forsyth Zip: 27284					Water sample taken? 🗌 Yes 🔀 No Category #: 🔢			
Wastewater System: ☐ Municipal/Community ☒ On-Site System Water Supply: ☒ Municipal/Community ☐ On-Site System					Email 1: ^{blu}	ue3jasper@yahoo.com	1	
	Permittee: BUTLER GOLF LLC				Email 2:			
	: (336) 993-8300				Email 3:			
			Tempera	ture Ol	bservation			
		Cold Hold	•			Degrees or le	-88	
Item hot water	Location 3 compartment sink	Temp I 124		Location		Temp Item	Location	Тетр
chlorine	cook line bucket	100						
cabbage	upright cooler	39						
burger	upright cooler	40				•		
lettuce	prep	38						
cheese	prep	37						
air temp	beverage cooler	38						
sausage	hot holding	147						
	/iolations cited in this re	eport must be co		time fram	es below, or as	stated in sections 8-40		
certifie	d food protection ma	anager on dut	у.					
and ar	17 Ready-To-Eat Ponerican cheese in upeld more than 24hrs.	oright cooler n	ot date marked					
and pla	11 Cooling, Heating aced in upright refrig e equipment in num ded.	erator. Facilit	y is not approve	ed to cool	l foods, as it o	does not have adeq	uate equipme	nt for cooling.
Lock Text								
Person in Cha	nrge (Print & Sign):	Firs Tim		La ink	ast	· T~	<u> </u>	
Regulatory Authority (Print & Sign): Amanda Taylor					ast	2		
REHS ID: 2543 - Taylor, Amanda						Verification Paquired	d Date: /	1
REHS (Contact Phone Number	(336)	03-3136	<u> </u>				

NOPH

Establishment Name: 19TH HOLE AT PINE KNOLLS Establishment ID: 3034012390

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 49 5-205.15 (B) System maintained in good repair C 0 points. Repair minor drip at left facuet of 3 compartment sink. Plumbing system shall be in good repair.
- 6-501.12 Cleaning, Frequency and Restrictions C Kitchen floor tiles are stained throughout. Rust spots preset in can wash room. Physical facilities shall be maintained clean.
 - 6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C No coved base present in fromt bar area. or rear step of doorway to bar where it meets kitchen. Install coved base for ease of cleanability. 6-201.14
 - Floor Carpeting, Restrictions and Installation C Carpet present in bar area. A floor covering such as carpeting or similar material may not be installed as a floor covering in food preparation areas, walk-in refrigerators, warewashing areas, toilet room areas where handwashing sinks, toilets, and urinals are located, refuse storage rooms, or other areas where the floor is subject to
- 6-303.11 Intensity-Lighting C Repeat violation(improvements made) Lighting low at right ladies toilet at 13 footcandles. Increase lighting to 20 footcandles at plumbing fixtures. All other lighting compliant.





Establishment Name: 19TH HOLE AT PINE KNOLLS Establishment ID: 3034012390

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: 19TH HOLE AT PINE KNOLLS Establishment ID: 3034012390

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: 19TH HOLE AT PINE KNOLLS Establishment ID: 3034012390

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



