Γ(	<u>)U</u>	<u>u</u>	E	<u>S</u>	<u>labiisnment inspection</u>	Re	וטט	l					SC	ore: <u>9</u>	1.5	<u> </u>
Establishment Name: ICHIBAN							Establishment ID: 3034010913									
					ess: 270 S STRATFORD RD					_			☑ Re-Inspection			
City: WINSTON SALEM State: NC					;	Date: 0 2 / 2 0 / 2 0 2 0 Status Code: A										
Zip: 27103 County: 34 Forsyth							Time In: $1 \ 2 \ : 30 \ \stackrel{\bigcirc}{\otimes} \ pm$ Time Out: $0 \ 2 \ : 40 \ \stackrel{\bigcirc}{\otimes} \ pm$									
					CHIBAN, INC.								me: 2 hrs 10 minutes	6 рі		
_			ee:	_					Category #: IV							
	_				(336) 725-3050					FI	Δ	F	stablishment Type: Full-Service Restaurant			
					<b>System:</b> ⊠Municipal/Community [			-	tem				Risk Factor/Intervention Violations:	5		
Water Supply: ⊠Municipal/Community ☐ On-Site Supply						y	No. of Repeat Risk Factor/Intervention Violations: 3									
					5:15 1 15 15 11 11 11								0 10 10 1			_
					ness Risk Factors and Public Health Into ibuting factors that increase the chance of developing foodb				Good Retail Practices  Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,							
					ventions: Control measures to prevent foodborne illness or					and physical objects into foods.						
	IN	OUT	N/A	N/O	Compliance Status	OUT	CDI R	VR	IN	OUT	N/A	N/O	Compliance Status	OUT	CDI R	R VR
$\overline{}$	_	visi	$\overline{}$		.2652 PIC Present; Demonstration-Certification by			J	Safe	$\overline{}$		$\overline{}$	, ,			
	X	Ш		a 141a	accredited program and perform duties	2 0			28 🗆	Ш	X		Pasteurized eggs used where required	1 0.5 0	<u>Ц</u> L	뿌
$\overline{}$	npic	луеє П	He	aitn	.2652 Management, employees knowledge; responsibilities & reporting	3 1.5 0			29 🔀				Water and ice from approved source	210		<u> </u>
$\rightarrow$	×								30 🗆		X		Variance obtained for specialized processing methods	1 0.5 0		
		Hyr	nioni	ic D	Proper use of reporting, restriction & exclusion ractices .2652, .2653	3 1.5 0				$\overline{}$	npe	ratur	e Control .2653, .2654 Proper cooling methods used; adequate			
$\overline{}$	X		Jieili	IC F	Proper eating, tasting, drinking, or tobacco use	210	Ini		31	-			equipment for temperature control	1 0.5 0		卫
$\rightarrow$	X				No discharge from eyes, nose or mouth	1 0.5 0			32				Plant food properly cooked for hot holding	1 0.5 0		
_	_	ntin	a Co	onta	mination by Hands .2652, .2653, .2655, .2656		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	33 🗆			×	Approved thawing methods used	1 0.5 0		
$\overline{}$	X		J		Hands clean & properly washed	420			34				Thermometers provided & accurate	1 0.5 0		
7		X			No bare hand contact with RTE foods or pre-	3 <b>X</b> 0			Food	$\overline{}$	ntifi	catio	n .2653			
$\dashv$	-	×			approved alternate procedure properly followed Handwashing sinks supplied & accessible	2 🗶 0			35				Food properly labeled: original container	210		<u> </u>
			l Soi	urce	,,,			1		entio	n o	f Foo	od Contamination .2652, .2653, .2654, .2656, .2657 Insects & rodents not present; no unauthorized			一
-	×				Food obtained from approved source	210			36				animals Contamination prevented during food	2 1 0		1
10				X	Food received at proper temperature	210			37 🔀	Ш			preparation, storage & display	210	쁘	4
11	×				Food in good condition, safe & unadulterated	210			38				Personal cleanliness	1 0.5 0		10
12	П	П	X	П	Required records available: shellstock tags,	210		$\exists$	39 🔀				Wiping cloths: properly used & stored	1 0.5 0		
	ote	ctio		m (	parasite destruction Contamination .2653, .2654		1-1-		40			]	Washing fruits & vegetables	1 0.5 0		
13	X				Food separated & protected	3 1.5 0			Prop	$\overline{}$	se c	of Ute				
14		X			Food-contact surfaces: cleaned & sanitized	3 🗙 0	XX		41 🔀	Ш			In-use utensils: properly stored	1 0.5 0	쁘	44
15	×	П			Proper disposition of returned, previously served,	210			42 🔀				Utensils, equipment & linens: properly stored, dried & handled	1 0.5 0		
		tiall	y Ha	izar	reconditioned, & unsafe food dous Food TIme/Temperature .2653				43				Single-use & single-service articles: properly stored & used	1 0.5 0		
16	X				Proper cooking time & temperatures	3 1.5 0			44 🔀				Gloves used properly	1 0.5 0		
17				X	Proper reheating procedures for hot holding	3 1.5 0			Uten	sils a	and	Equ	pment .2653, .2654, .2663			
18				X	Proper cooling time & temperatures	3 1.5 0			45 🗆	X			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	211		<b>3</b> □
$\dashv$	×		П		Proper hot holding temperatures	3 1.5 0		$\Box$	46 🔀				constructed, & used Warewashing facilities: installed, maintained, &	1 0.5 0		$\pm$
20	$\rightarrow$	$\mathbf{x}$		_	Proper cold holding temperatures	3 <b>X</b> 0			$\vdash$				used; test strips			岩
21	$\rightarrow$	X		$\frac{\square}{\square}$	Proper date marking & disposition		XX	+	47 🔀 Phys	ical	Fac	·ilitio	Non-food contact surfaces clean s .2654, .2655, .2656	1 0.5 0		
-	-			<u> </u>	Time as a public health control: procedures &			H	48 🔀			1	Hot & cold water available; adequate pressure	210		ī
	Nns:	LIM6	r Ad	lvic	records	210			49 🔀				Plumbing installed; proper backflow devices	210		듬
$\overline{}$	X			IVIS	Consumer advisory provided for raw or	1 0.5 0	Inin		50				Sewage & waste water properly disposed	210		
_	_	y Su	ISCE	ptib	undercooked foods   le Populations   .2653	الحارب							Toilet facilities: properly constructed, supplied		井	#
24			X		Pasteurized foods used; prohibited foods not offered	3 1.5 0			51 🔀	Ш	Ш		& cleaned	1 0.5 0	쁘	4
Ç	hem	ical			.2653, .2657				52 🔀				Garbage & refuse properly disposed; facilities maintained	1 0.5 0		10
25			X		Food additives: approved & properly used	1 0.5 0			53 🗆	×	L		Physical facilities installed, maintained & clean	1 0.5 🗶		<u> 1</u>
26	×	ृ∏	ृ∏	_	Toxic substances properly identified stored, & used	210			54 🗆	×			Meets ventilation & lighting requirements; designated areas used	1 0.5		<b>3</b> □
$\overline{}$	$\overline{}$	rma	nce	wit	h Approved Procedures .2653, .2654, .2658	· ·				•				8.5		
27	×				Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210							Total Deductions:			





Lctal		. A. ICHIDAA				Establishment Inspection Report						
		ent Name: ICHIBAN			Estab	Establishment ID: 3034010913  ☑ Inspection ☐ Re-Inspection Date: 02/20/2020						
Lo	cation A	Address: 270 S STR	ATFORD RD									
Cit	y:_WINS	STON SALEM	ON SALEM S			Comment Addendum Attached?   Status Code:   A						
Co	unty: 34 Forsyth Zip: 27103					Water sample taken?  Yes  No Category #: IV						
Wastewater System:   Municipal/Community □ On-Site System  Water Supply:   Municipal/Community □ On-Site System  Permittee: ICHIBAN, INC.						Email 1: Email 2:						
						Email 3:						
Telephone: (336) 725-3050				Taman								
					erature Observa							
Itom		Location		_	perature is nov		grees or les	Location	Tomi			
Item Shrin	пр	final cook	Temp 167	tem Tuna	sushi station	33	C. Sani	dish machine	Temp 100			
Chicken		final cook	191	Octopus	sushi station	35	Quat Sani	bucket	400			
Stir Fry		cooked to	186	Mackrel	sushi station	40	Hot Water	3-compartment sink	147			
Fried	Rice	hot holding	169	Squid Salad	sushi station	41	Serv Safe	Peter Do 6-27-23	00			
Soup		hot holding	161	Tofu	make-unit	40						
Beef		sushi station	39	Soup	walk-in cooler	41						
lmi. (	Crab sushi station		43	Ramen	walk-in cooler	34						
Salm	on	sushi station	43	S.W. Salad	walk-in cooler	38						
				Observation	ns and Correctiv	ve Actior	 ns					
	,	Violations cited in this r	eport must be	e corrected within	the time frames below	, or as stated	d in sections 8-405	5.11 of the food code.				
7	may n	ot contact exposed,	ready-to-ea	at food with the		nall use sui		oare hands. Food em <sub>l</sub> uch as deli tissue, spa				
8	sink. A	A handwashing sink	may not be	used for purpo		dwashing. (		g off knife in the hand was informed that the				
14	soiled		Food-conta	act surfaces sha	all be clean to sight			AT- P: 6 drink nozzles ed, rinsed, and sanitiz				

First Last Peter Do Person in Charge (Print & Sign): First Last Regulatory Authority (Print & Sign): Victoria Murphy

> REHS ID: 2795 - Murphy, Victoria Verification Required Date:

REHS Contact Phone Number: (336)703 - 3814

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section


DHHS is an equal opportunity employer.

Food Fetablishment Inspection Report 3/2013



Establishment Name: ICHIBAN	Establishment ID:	3034010913

### **Observations and Corrective Actions**





- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding-REPEAT-P: The following items at the sushi measured at temperatures above 41 F: imitation crab (43 F) and salmon (43 F). Potentially hazardous food shall be maintained at a temperature of 41 F or below. CDI: A temperature was taken of the unit and the ambient measured at 38 F. All other items in the unit measured at 41 F and below. \*continue working on cold holding\*
- 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking-REPEAT- PF: A container of beef prepared days prior was without date marking. Ready-to-eat potentially hazardous food prepared and held in a food establishment for more than 24 hours shall be marked to indicate the date or day by which the food shall be consumed on the premises, sold, or discarded based on the temperature and time combination 7 days at 41 F.//3-501.18 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Disposition P: A container of beef at the sushi station was labeled 2/12. A food shall be discarded if it exceeds the temperature and time combination 7 days at 41 F. CDI: PIC discarded item
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment -REPEAT- C: Shelves inside of walk-in cooler are beginning to rust. Replace or repaint shelves with a food grade paint. Equipment shall be maintained in good repair.
- 6-501.12 Cleaning, Frequency and Restrictions C: Wall cleaning is needed throughout the facility. Physical facilities shall be cleaned as often as necessary to keep them clean.
- 6-303.11 Intensity-Lighting-REPEAT C: Lighting is low in the following areas: walk-in cooler (6 ft candles) walk-in freezer (6 ft candles) men and women's restroom (6 ft candles). The lighting intensity shall be at least 10 ft candles 30 inches above the floor in walk-in refrigeration units and 20 ft candles 30 inches above the floor in toilet rooms. \*PIC replaced lights with LED lights but it was determined that the shields needed to be replaced with clear shields in order for the lights to have a higher illumination\*.





Establishment Name: ICHIBAN Establishment ID: 3034010913

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ICHIBAN Establishment ID: 3034010913

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: ICHIBAN	Establishment ID: 3034010913

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



