-ood	E	St	ablishment Inspection	١F	₹6	Эþ	or	t							Score:	98	9.5	5_	_
stablis	hn	ner	nt Name: SPRINGHILL SUITES BREAKE	AS	T A	٩RI	ΞΑ					Е	S	tablishment ID: 3034011967	ı				_
			ess: 1015 MARRIOTT CROSSING WAY																
City: WI	NS ⁻	TON	SALEM	St	tat	e.	NC				Da	ate	:	06/23/2016 Status Code:	Α				
ip: 271			County: 34 Forsyth	•		•					Ti	me	- II (n: <u>Ø 9 : 4 Ø 👸 am</u> Time Out: <u>1</u> Ø	: 55 ⁸	am	า า		
			BPR HOTELS OF HANES MALL, LLC								To	otal	ΙT	ime: 1 hr 15 minutes		γ			
														ory #:					
-			(336) 765-0190	_							FI	DΑ	F	stablishment Type: Full-Service Restau	rant				
			System: Municipal/Community					-	sten	n				Risk Factor/Intervention Violation					-
Vater S	up	ply	/ : ⊠Municipal/Community □ On-	-Sit	te	Sι	ıppl	y						Repeat Risk Factor/Intervention \		_ s:_			
Foodba	rn	- III	ness Risk Factors and Public Health In	ton	,or	\ ti.c								Good Retail Practices		_		_	_
			ibuting factors that increase the chance of developing food		_		_		(Good	d Re	tail F	Pra	ctices: Preventative measures to control the addition of	pathogens, c	hem	icals	3,	
Public He	alth	Inter	ventions: Control measures to prevent foodborne illness of	or inju	ury.									and physical objects into foods.					_
IN OUT		N/O	Compliance Status		OUT	<u> </u>	CDI R	VR			OUT -		_		OUT	С	DIF	R V	'R
Supervisi	on		.2652 PIC Present; Demonstration-Certification by	2		П		10			000	$\overline{}$	d V	Vater .2653, .2655, .2658 Pasteurized eggs used where required	1 0.5	ПГ	71-	7	_
Employee	_	alth	accredited program and perform duties .2652		<u> </u>			1	H						2 1			#	=
2 × □	3 110		Management, employees knowledge; responsibilities & reporting	3	1.5	0				X		_		Water and ice from approved source Variance obtained for specialized processing				#	=
3 🛭 🗆			Proper use of reporting, restriction & exclusion	3	1.5	0		1	30	Ш		X	L	methods	1 0.5	0		ᅶ	_
Good Hy	gien	ic Pr	, , ,			ات		712				per	atu	re Control .2653, .2654 Proper cooling methods used; adequate	1 0.5		716	7	
4 🗵 🗆	<i>,</i>		Proper eating, tasting, drinking, or tobacco use	2	1	0			\blacksquare	X			L	equipment for temperature control		0		4	=
5 🗵 🗆			No discharge from eyes, nose or mouth	1	0.5	0			32					Plant food properly cooked for hot holding	1 0.5	_	4	4	=
	g Co	onta	mination by Hands .2652, .2653, .2655, .2656						33				X	Approved thawing methods used	1 0.5	0		4	_
6 🛛 🗆			Hands clean & properly washed	4	2	0			\sqcup	X			L	Thermometers provided & accurate	1 0.5	0		먄	_
7 🗆 🗆		X	No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3	1.5	0					lder	tific	cati				-J.		
8 🗵 🗆			Handwashing sinks supplied & accessible	2	1	0			ı⊢	X		n of	Ec	Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656,	2 1	ᆜ		ᅶ	_
Approved	l So	urce	.2653, .2655							Eve X		11 01	FU	Insects & rodents not present; no unauthorize			71-	╦	
9 🛛 🗀			Food obtained from approved source	2	1	0			Ш					animals Contamination prevented during food				#	_
10 🗆 🗆		X	Food received at proper temperature	2	1	0			l⊢⊢	X				preparation, storage & display	2 1	_		#	=
11 🛛 🗆			Food in good condition, safe & unadulterated	2	1	0			l⊢⊣	X				Personal cleanliness	1 0.5	_		4	_
12 🗆 🗆	X		Required records available: shellstock tags, parasite destruction	2	1	0			l⊢⊢	X				Wiping cloths: properly used & stored	1 0.5	0		4	_
Protectio	n fro	om C	Contamination .2653, .2654							×			L	Washing fruits & vegetables	1 0.5	0		<u> </u>	_
13 🗷 🗀			Food separated & protected	3	1.5	0					=	e of	f U	tensils .2653, .2654				7	
14 🛛 🗆			Food-contact surfaces: cleaned & sanitized	3	1.5	0			Н	×				In-use utensils: properly stored Utensils, equipment & linens: properly stored,	1 0.5	_	_	_	=
15 🛛 🗆			Proper disposition of returned, previously served reconditioned, & unsafe food	, 2	1	0			42	X				dried & handled	1 0.5	=		4	_
Potential	ly Ha	azaro	dous Food Time/Temperature .2653						43		X			Single-use & single-service articles: properly stored & used		0		4	_
16 🗆 🗆		X	Proper cooking time & temperatures	3	1.5	0			44	X				Gloves used properly	1 0.5	<u></u>		<u> </u>	_
7		X	Proper reheating procedures for hot holding	3	1.5	0			Ut	tens	ils a	nd l	Equ	uipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces		_	_	4	
18 🗆 🗆		X	Proper cooling time & temperatures	3	1.5	0			45		X			approved, cleanable, properly designed, constructed, & used	2 1	X		ᄓ	_
19 🗆 🗆		×	Proper hot holding temperatures	3	1.5	0			46	X				Warewashing facilities: installed, maintained, a used; test strips	& 1 0.5	0		36	=
20 🗵 🗆			Proper cold holding temperatures	3	1.5	0			47	X				Non-food contact surfaces clean	1 0.5	0	1	寸	=
21 🗵 🗆			Proper date marking & disposition	3	1.5	0			\vdash		cal I	aci	litie	es .2654, .2655, .2656					
22 🗆 🗆	X	П	Time as a public health control: procedures &	2	1	0	7	1	48	X				Hot & cold water available; adequate pressure	2 1	0][_
Consume		dviso	records ory .2653						49		X			Plumbing installed; proper backflow devices	2 1	X :	X C	J[=
23 🗆 🗆	X		Consumer advisory provided for raw or undercooked foods	1	0.5	0			50	X				Sewage & waste water properly disposed	2 1	0 [1	=
Highly Su		ptib	le Populations .2653						iН	×	П			Toilet facilities: properly constructed, supplied	1 0.5	0 [1	⇟	=
24 🗆 🗆	×		Pasteurized foods used; prohibited foods not offered	3	1.5	0			52			_		& cleaned Garbage & refuse properly disposed; facilities		+		╬	=
Chemical	\equiv		.2653, .2657		0 5 1				H					maintained			_ -		=
25 🛭 🗆			Food additives: approved & properly used	#		0	<u> </u>	1 =	53		X		_	Physical facilities installed, maintained & clear		+	<u> </u>	#	=
26 🛛 🗀	\Box		Toxic substances properly identified stored, & used	2	11	0	ــا1لـــ	Ш	54	X	\sqcup		1	Meets ventilation & lighting requirements;	1 0.5	0		_][[_



Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 0.5

City: WINSTON SALEM County: 34 Forsyth Zip: 27103 Wassewater System: XI Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System Permittee: BPR HOTELS OF HANES MALL, LLC Telephone: (336) 765-0190 Temperature Observations Item Location Rachel Klein 3/31/20 0 Temperature Observations Item Location Rachel Klein 3/31/20 0 Temperature Observations Item Location Temp Item Location	7011									
City: WINSTON SALEM	06/23/2016									
Wastewater System: № Municipal/Community	Code: A									
Water Supply: Matunicipal/community On-Site System Email 2: Telephone: (336) 765-0190 Email 3: Temperature Observations Temp Item Location Item Location Item Location Item Location Item Location Item Location Item	ory #: <u>IV</u>									
Permittee: PR HOTELS OF HANES MALL, LLC Email 2: Telephone: (336) 765-0190 Email 3: Temperature Observations Item Location Temp Item Location Rachel Klein 3/31/20 0 0 Ambient air milk cooler 39 ambient air upright fridge 33 hot water three comp sink 125 sanitizer three comp sink (ppm) 200 Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the foor containers of condiments and ingredients in the cabinets under self service area. Single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-502.13 Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the foor containers of condiments and ingredients in the cabinets under self service area. Single service use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts										
Temperature Observations Item										
Temp Item Location Rachel Klein 3/31/20 0 0 Temp Item Location Temp Item Location Rachel Klein 3/31/20 0 0 Temp Item Location Rachel Klein 3/31/20 0 0 Temp Item Location Rachel Klein 3/31/20 Temp It										
Another tair milk cooler 39 ambient air upright fridge 33 hot water three comp sink (ppm) 200 Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the foor containers of condiments and ingredients in the cabinets under self service area. Single service single use containers of rondiments and ingredients in the cabinets under self service area. Single service single use containers of for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. Opts.	 Dbservations									
Ambient air milk cooler 39 ambient air upright fridge 33 hot water three comp sink (ppm) 200 Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food containers of condiments and ingredients in the cabinets under self service area. Single service single use containers defor initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. Opts.	Temp									
hot water three comp sink 125 sanitizer three comp sink (ppm) 200 Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use containers used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Dish machine hot plate temp 168 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use containers do initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts.										
 4-502.13 Single-Service and Single-Use Articles-Use Limitations - C Multiple single service/use containers being containers of condiments and ingredients in the cabinets under self service area. Single service single use contain used for initial product and then discarded. Replace containers with approved food safe containers. 4-101.17 Wood, Use Limitation - C Wood blocks used under dish machine to elevate the unit off the floor. Raw we establishments must be sealed or painted to be easily cleanable and non absorbent. Remove wood or seal the we easy cleaning. 0 pts 5-205.15 System Maintained in Good Repair - P Slight leak under wash basin of three compartment sink. CDI: Le maintenance during inspection. 0pts. 										
maintenance during inspection. 0pts.										
First	ak repaired by									
Person in Charge (Print & Sign): Rachel First Last First Last Last Last Last Last	<u>.</u>									
Regulatory Authority (Print & Sign): Chrobak										
REHS ID: 2450 - Chrobak, Joseph Verification Required Date:/_										
REHS Contact Phone Number: (<u>3 3 6</u>) <u>7 Ø 3</u> - <u>3 1 6 4</u>										

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.



Establishment Name: SPRINGHILL SUITES BREAKFAST AREA Establishment ID: 3034011967

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

√ Spell

6-201.11 Floors, Walls and Ceilings-Cleanability - C Coved baseboard tile installed incorrectly in employee restroom. Baseboard tiles are installed on top of the floor tiles creating a 90 degree edge reducing cleanability of floors. Use a combination grout caulk to create a slant where floors meet baseboards to allow for easy cleaning. 0 pts



53



Establishment Name: SPRINGHILL SUITES BREAKFAST AREA Establishment ID: 3034011967

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SPRINGHILL SUITES BREAKFAST AREA Establishment ID: 3034011967

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SPRINGHILL SUITES BREAKFAST AREA Establishment ID: 3034011967

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



