Food Establishment Inspection Report								Score: <u>98.5</u>					
Establishment Name: ABLE'S FAMILY RESTAURANT Establishment ID: 3034012359													
Location Address: 615 EAST MOUNTAIN STREET								☐ Inspection ☐ Re-Inspection					
City: KERNERSVILLE State: NC							Date: Ø 3 / 2 3 / 2 Ø 1 7 Status Code: A						
Zip: 27284 County: 34 Forsyth							Time In: $08: 40^{\circ}$ pm Time Out: $10: 10^{\circ}$ pm						
Permittee: VELINO VEGA							Тс	otal	T	ime: 1 hr 30 minutes			
Telephone: (336) 996-4101							C	ate	go	ry #: _IV			
Wastewater System: Municipal/Community [~ ~ ~	+0.0	2	+~~	FDA Establishment Type: Full-Service Restaurant							
-					lei	No. of Risk Factor/Intervention Violations: 1							
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1										olations: <u>1</u>			
Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices													
Risk factors: Contributing factors that increase the chance of developing foodt Public Health Interventions: Control measures to prevent foodborne illness of						Goo	d Re	tail F	Prac	tices: Preventative measures to control the addition of p and physical objects into foods.	athogens, chemicals,		
IN OUT NA N/O Compliance Status			DI R	VR		IN	OUT	N/A	N/O		OUT CDI R VR		
Supervision .2652					_	IN OUT N/A N/O Compliance Status OUT CDI R VR Safe Food and Water .2653, .2655, .2658 .2658<							
1 Image: Second system PIC Present; Demonstration-Certification by accredited program and perform duties	2				28			\mathbf{X}		Pasteurized eggs used where required	1050		
Employee Health .2652					29	X				Water and ice from approved source	210 🗆 🗆		
2 X Image: Management, employees knowledge; responsibilities & reporting	3 1.5				30			X		Variance obtained for specialized processing methods	1050 🗆 🗆		
3 Image: Construction of the sector of the	3 1.5					1		npera	atur	e Control .2653, .2654			
Good Hygienic Practices .2652, .2653 4 X I Proper eating, tasting, drinking, or tobacco use	21	ΠГ			31	×				Proper cooling methods used; adequate equipment for temperature control			
5 🛛 🗆 No discharge from eyes, nose or mouth	1 0.5		_		32				X	Plant food properly cooked for hot holding			
Preventing Contamination by Hands .2652, .2653, .2655, .2656					33				X	Approved thawing methods used	10.50		
6 🛛 🗌 Hands clean & properly washed	42				34	X				Thermometers provided & accurate	1 0.5 0 🗆 🗆		
7 🛛 🗆 🗆 🕨 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5					boo	-	ntific	atic				
8 🛛 🗆 Handwashing sinks supplied & accessible	21				_		ntio	n of	For	Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656, .2			
Approved Source .2653, .2655			- -						100	Insects & rodents not present; no unauthorized			
9 🛛 🗌 Food obtained from approved source	21					X				animals Contamination prevented during food			
10 Image: Second se	21					X				preparation, storage & display Personal cleanliness			
11 X Food in good condition, safe & unadulterated	21					X				Wiping cloths: properly used & stored			
12 Image: Construction Required records available: shellstock tags, parasite destruction	21					×				Washing fruits & vegetables			
Protection from Contamination .2653, .2654									⁻ Ute	ensils .2653, .2654			
13 X Image: Constraint of the separated & protected										In-use utensils: properly stored	10.50		
14 X Food-contact surfaces: cleaned & sanitized 15 X Proper disposition of returned, previously served,	3 1.5				42	X				Utensils, equipment & linens: properly stored, dried & handled	10.50		
15 Image: Constraint of the second seco	21				43	X				Single-use & single-service articles: properly stored & used			
16 X C Proper cooking time & temperatures	3 1.5	nr				×				Gloves used properly			
17 Image: Second grade and an posterior 17 Image: Second grade and an posterior	3 1.5	пг					_	nd I	Equ	ipment .2653, .2654, .2663			
18 X Image: Constraining proceedings for the large proceeding structure in the	3 1.5			H	45		×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	21 🗙 🗆 🗆		
19 X Image: Comparison of the second state of the second	3 1.5					X				constructed, & used Warewashing facilities: installed, maintained, &			
20 X Proper rold holding temperatures		OD					_			used; test strips			
21 X Image: Proper cold initiality temperatures 21 X Image: Proper date marking & disposition	3 1.5		_		_	⊠ hysi		Faci	litie	Non-food contact surfaces clean s .2654, .2655, .2656			
Time as a public health control, precedures 9	21								intic	Hot & cold water available; adequate pressure	210		
22 Consumer Advisory .2653						X				Plumbing installed; proper backflow devices	210		
23 X Consumer advisory provided for raw or undercooked foods	1 0.5					X				Sewage & waste water properly disposed			
Highly Susceptible Populations .2653			- -			X				Toilet facilities: properly constructed, supplied			
24 C Pasteurized foods used; prohibited foods not offered	3 1.5									& cleaned Garbage & refuse properly disposed; facilities			
Chemical .2653, .2657	1 6-						X			maintained			
25 Image: Second additives: approved & properly used 24 Image: Second additives: approved & properly used					53					Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;			
26 Image: Conformance with Approved Procedures .2653, .2654, .2658	21				54	X				designated areas used			
27 Image: Second market with Approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 27 Image: Second market with approved Proceedings .2033, .2034, .2036 28 Image: Second market with approved Proceedings .2033, .2034, .2036 29 Image: Second market with approved Proceedings .2033, .2034, .2036 20 Image: Second market with app	21	0								Total Deduction	IS: 1.5		
North Carolina Department of Health & Human Service	ces • DHHS										ogram cr		

		De



Comment Addendum to Food Establishment Inspection Report

Date: 03/23/2017

Status Code: A Category #: IV

Spell

Establishment Name: ABLE'S FAMILY RESTAURANT		Establishment ID: 3034012359		
Location Address: 615 EAST MOUNTAIN STREET	State:	•	CRE-Inspection dum Attached?	
County: 34 Forsyth Zip: 2				
Wastewater System: X Municipal/Community On-Site Sy Water Supply: X Municipal/Community On-Site Sy		Email 1:		
Permittee: _VELINO VEGA		Email 2:		
Telephone: (336) 996-4101		Email 3:		

Temperature Observations									
ltem Velino Vega	Location 07/23/20	Temp 0	ltem Slaw	Location Make unit	Temp 37	ltem Ham	Location Reach in	Temp 37	
Hot water	3 comp sink	137	Potato salad	Make unit	37	Sausage	Reach in	39	
Chlorine	Bucket	50	Ham	Make unit	39	Chicken	Walk in	42	
Eggs	Final	156	Eggs	Grill area	59	Potato salad	Walk in	41	
Sausages	Cooling	32	Gravy	Hot hold	174	Tomatoes	Walk in	42	
Potatoes	Cooling	40	Grits	Hot hold	175	Tuna	Walk in	41	
Tomatoes	Make unit	36	Chili	Hot hold	162	Lettuce	Walk in	42	
Lettuce	Make unit	37	Green beans	Hot hold	161	Air temp	Front cooler	29	

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P-REPEAT. Shell eggs near grill held out of temperature at 59F. Potentially hazardous food shall be held at 45F or below. Person in charge stated eggs have been sitting outside of temperature for approximately an hour. CDI- Eggs placed in walk-in cooler.

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- 0 pts. Equipment repair/replacement needed on the following: torn refrigeration gasket on make unit; cut or cap exposed screw threads on evaporator box inside walk-in cooler; seal base of leg of rear handwashing sink to floor base; chipping paint on leg of handwashing sink. Equipment shall be maintained in good repair.
- 53 6-201.11 Floors, Walls and Ceilings-Cleanability C- 0 pts. Seal baseboard behind grill to wall. Replace stained ceiling tile in men's restroom. Physical facilities shall be easily cleanable.

Person in Charge (Print & Sign):	Jennifer	First	Brewer	Last	Jahn Bunn		
Regulatory Authority (Print & Sign)	Eva	First	Robert F	Last REHSI	Eva Robert REHS		
REHS ID	2551	- Robert, Eva			_ Verification Required Date: / /		
REHS Contact Phone Number: (336) 703 - 3135							
North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of Food Establishment Inspection Report, 3/2013							

Establishment ID: 3034012359

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment ID: 3034012359

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012359

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012359

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell