Food Establishment Inspection Report Score: 98 Establishment Name: SUBWAY 64900 Establishment ID: 3034012832 Location Address: 222 HARVEY STREET City: WINSTON SALEM Date: 07 / 17 / 2017 Status Code: A State: NC Time In: $\underline{\emptyset} \ 9 : \underline{\emptyset} \ \underline{\emptyset} \ \underline{\emptyset} \ \underline{\otimes} \ \underline{am}$ Time Out: 11:300 am County: 34 Forsyth Zip: 27103 Total Time: 2 hrs 30 minutes AARICK INC Permittee: Category #: II Telephone: (336) 306-9613 FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 1 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required accredited program and perform duties **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used: adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 $|\Box|\Box|X$ Plant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🔀 🖂 🖂 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 1 0.5 0 - -Thermometers provided & accurate 42020 6 | □ | 🔀 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -21000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3 1.5 0 13 Food separated & protected 41 🗖 🗆 1 0.5 0 🗆 🗆 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🗆 🔀 Potentially Hazardous Food Tlme/Temperature stored & used 16 □ □ □ □ X Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🔲 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆

1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🔀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 210 49 🔀 2100 Plumbing installed: proper backflow devices **Consumer Advisory** .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🔯 🖂 🖂 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 1 0.5 🗶 🗆 🗆 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🗵 🗆 Toxic substances properly identified stored, & used 54 1 0.5 0 ... designated areas used Conformance with Approved Procedures .2653, .2654, .2658 Total Deductions: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan |27| 🗆 | 🗆 | 🔀 210 - -





Comment Addendant to Food Establishment inspection report								
Establishment Name: SUBWAY 64900	Establishment ID: 3034012832							
Location Address: 222 HARVEY STREET City: WINSTON SALEM State: NC	☐ Inspection ☐ Re-Inspection ☐ Date: 07/17/2017 Comment Addendum Attached? ☐ Status Code: A							
County: 34 Forsyth Zip: 27103	Category #:							
Wastewater System: ✓ Municipal/Community ✓ On-Site System Water Supply: ✓ Municipal/Community ✓ On-Site System	Email 1: garyghumman@gmail.com							
Permittee: _AARICK INC.	Email 2:							
Telephone: (336) 306-9613	Email 3:							

Temperature Observations									
Item servsafe	Location Gagandeep Ghumann	Temp 0	Item cheese	Location 2 door cooler	Temp 39	Item quat sanitizer	Location 3 compartment sink	Temp 400	
soup	hot holding	159	hot water	front hand sink	120				
chix	main prep	42	hot water	3 compartment sink	137				
ham	main prep	41	air temp	front beverage cooler	43				
steak	main prep	41	salami	walk in cooler	39				
cheese	main prep	40	chix	walk in cooler	41				
lettuce	main prep	44	tuna	walk in cooler	40	·			
salami	2 door cooler	38	tomato	walk in cooler	39				

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

2-301.12 Cleaning Procedure - P Employee observed washing hands then using bare hands to turn faucet off. Food employees shall use paper towels to turn faucet off after handwashing to avoid recontaminating hands.



- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C 0 points. Cups on front counter overstacked in dispenser. Mouth contact portion of cup must be protected. Keep cups stacked lower within dispenser or keep in plastic sleeves.
- 52 5-501.15 Outside Receptacles C 0 points. Dumpsters have minor rust along bottom seams. Have dumpsters replaced. Receptacles shall be maintained.

Person in Charge (Print & Sign):

Gagandeep

First

First

Last

Ghumman

First

Last

Regulatory Authority (Print & Sign):

Amanda

Taylor

REHS ID: 2543 - Taylor, Amanda

Verification Required Date: / /

REHS Contact Phone Number: (336)703 - 3136





Establishment Name: SUBWAY 64900 Establishment ID: 3034012832

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C 0 points. Replace grate above walk in cooler where recent work has been done. Reattach baseboard at door of walk in cooler.





Establishment Name: SUBWAY 64900 Establishment ID: 3034012832

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Page 4 of N/A Food Establishment Inspection Report, 3/2013

Establishment Name: SUBWAY 64900 Establishment ID: 3034012832

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SUBWAY 64900 Establishment ID: 3034012832

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



