Food Establishment Inspection Report Score: <u>96</u> Establishment Name: KOTTA JAPANESE RESTAURANT Establishment ID: 3034011994 Location Address: 1070 HANES MALL BLVD Date: 07/19/2017 Status Code: A City: WINSTON SALEM State: NC Time Out: <u>Ø 2</u> : 15 ⊗ pm Time In:  $12:15 \overset{\bigcirc am}{\otimes} pm$ County: 34 Forsyth Zip: \_27103 Total Time: 2 hrs 0 minutes KOMPONG INC Permittee: Category #: IV Telephone: (336) 768-2333 FDA Establishment Type: Full-Service Restaurant Wastewater System: 

✓ Municipal/Community 

☐ On-Site System No. of Risk Factor/Intervention Violations: 2 Water Supply: Municipal/Community On-Site Supply

No. of nepeat hisk ractor/intervention violations.										_										
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.							Good Retail Practices  Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.													
H		_	N/A	_		OUT	CD	I R	VP	$\vdash$	INI	OUT	N/A	N/O	Compliance Status	Τ,	DUT	CD	T P	VR
9		_		IW/C	.2652	001	lop.	'  '	VIC	-	$\perp$				•	<u> </u>	JU1	100	TK	VIX
1	mpci	X				Safe Food and Water .2653, .2655, .2658							П	П						
<u>'</u>		_		. 111	PIC Present; Demonstration-Certification by accredited program and perform duties			1	ഥ	28		ш	×		Pasteurized eggs used where required	ш	0.5	4	尸	닏
-	mpl	byee	е не	aitr				T_		29	X				Water and ice from approved source	2	1		1	
$\vdash$	×	Ш			Management, employees knowledge; responsibilities & reporting	3 1.5			Ш	30			X		Variance obtained for specialized processing methods	1	0.5			
3	Ż				Proper use of reporting, restriction & exclusion	3 1.5	0			F	ood	Ten	per	atur	e Control .2653, .2654					
$\Box$	$\neg$	Ну	gien	ic F	ractices .2652, .2653		_			31	X				Proper cooling methods used; adequate equipment for temperature control	1	0.5	ם כ		
4	×				Proper eating, tasting, drinking, or tobacco use	2 1	0			32			$\overline{}$	×	Plant food properly cooked for hot holding	1	0.5 (		$\pm$	┢
5	X				No discharge from eyes, nose or mouth	1 0.5	0									F		_	H	H
Pi	reve	ntin	g Co	onta	amination by Hands .2652, .2653, .2655, .2656					33		×	Ш	Ш	Approved thawing methods used	1	0.5	KX	毕	닏
6	X				Hands clean & properly washed	42	0			34					Thermometers provided & accurate	1	0.5			
7	X•		П	П	No bare hand contact with RTE foods or pre-	3 1.5	0		П	-	ood	lder	ntific	catio	on .2653	_		-		
$\vdash$	×		_	H	approved alternate procedure properly followed Handwashing sinks supplied & accessible	+++	0			35	X				Food properly labeled: original container	2	1	<u> </u>		
$\perp$		닏	I C -	_	V 11			1		P	reve	ntio	n of	Foo	od Contamination .2652, .2653, .2654, .2656, .265	7		Ţ.		
$\overline{}$	ppro	vec	1 30	urc	,			T.		36	X				Insects & rodents not present; no unauthorized animals	2	1	0 🗆	ı	
$\vdash$	×				Food obtained from approved source		0			37	X				Contamination prevented during food preparation, storage & display	2	1	0 🗆		
10	Ш	Ш		X	Food received at proper temperature	21	0		Ш	38	×	П			Personal cleanliness	1	0.5	חומ	t	h
11	X				Food in good condition, safe & unadulterated	21	0 [									1		7	H	H
12			X		Required records available: shellstock tags, parasite destruction	21	0 [			-	+		_		Wiping cloths: properly used & stored	F		-	H	븐
Р	rote	ctio	n fro	om	Contamination .2653, .2654					$\vdash$	×	Ш	Ш		Washing fruits & vegetables	1	0.5		<u> </u>	L
13	X				Food separated & protected	3 1.5	0			Р	_	er Us	se of	f Ute	ensils .2653, .2654			-	-	
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5	0			41	×				In-use utensils: properly stored	1	0.5		呾	Р
$\vdash$	×				Proper disposition of returned, previously served,	21	0			42	X				Utensils, equipment & linens: properly stored, dried & handled	1	0.5	<b>D</b>		
$\vdash$			vΗ	272	reconditioned, & unsafe food rdous Food TIme/Temperature .2653				Щ	43	X				Single-use & single-service articles: properly stored & used	1	0.5	ם וכ		Б
$\overline{}$	X	liaii	у по		Proper cooking time & temperatures	3 15		Т	П	44						1			$\pm$	F
H			<u> </u>						H		44 Si Si Gloves used properly Utensils and Equipment .2653, .2654, .2663		ш	0.5	4	1	브			
17		Ш	Ш	×	Proper reheating procedures for hot holding	3 1.5	0	ЩШ	Ш	Fquipment_food & non-food contact surfaces			Т		$\top$	т	Т			
18				×	Proper cooling time & temperatures	3 1.5	0 [			45	X				approved, cleanable, properly designed, constructed, & used	2	1			
19	X				Proper hot holding temperatures	3 1.5	0 🗆			46	X				Warewashing facilities: installed, maintained, & used; test strips	1	0.5	0 🗆	$\Box$	
20		X			Proper cold holding temperatures	3 1.5	XX			47		X			Non-food contact surfaces clean	1	0.5	<b>X</b> _		
21	X				Proper date marking & disposition	3 1.5	0 [			Р	hysi	$\overline{}$	Faci	litie	s .2654, .2655, .2656			$\perp$		
$\perp$			П	П	Time as a public health control: procedures & records	21	0	П	П	48	X				Hot & cold water available; adequate pressure	2	1	<u> </u>		
	ons									49		X			Plumbing installed; proper backflow devices	2	×	0 🛮	ī	
23	$\overline{}$	$\overline{}$			Consumer advisory provided for raw or undercooked foods	1 0.5	0			_	×	П			Sewage & waste water properly disposed	+	1	_	+-	
$\vdash$	_			ptik	ple Populations .2653								_		Toilet facilities: properly constructed, supplied				+	1
24					Pasteurized foods used; prohibited foods not	3 1.5	0			51	×				& cleaned	1	0.5 (	ШЬ	卫	
$\vdash$	hem									52		X			Garbage & refuse properly disposed; facilities maintained	1	×			
$\overline{}$	X				Food additives: approved & properly used	1 0.5	0 -			53		×			Physical facilities installed, maintained & clean	1	×	ם כ	×	
$\vdash$	X				Toxic substances properly identified stored, & used	21	0 [				×				Meets ventilation & lighting requirements;	+	0.5	+	+	
Conformance with Approved Procedures .2653, .2654, .2658										+		三								
Total Deductions: 4																				
[_']	_			1	reduced oxygen packing criteria or HACCP plan	الناكا	ᆀᆜ									1				





Location Address: 1070 HANES MALE City: WINSTON SALEM County: 34 Forsyth Wastewater System: ✓ Municipal/Communit Water Supply: ✓ Municipal/Communit Permittee: KOMPONG INC Telephone: (336) 768-2333	L BLVD S Zip: 27103 ty ☐ On-Site System	itate: NC C	comment Addendu Email 1: <sup>sokphorr</sup>	Re-Inspection	Date: 07/19/2017 Status Code: A Category #: IV				
City: WINSTON SALEM  County: 34 Forsyth  Wastewater System: ☑ Municipal/Communit Water Supply: ☑ Municipal/Communit  Permittee: KOMPONG INC	Zip: 27103	tate: NC C	comment Addendu Email 1: <sup>sokphorr</sup>	ım Attached?	Status Code: A				
County: 34 Forsyth  Wastewater System: ☑ Municipal/Communit  Water Supply: ☑ Municipal/Communit  Permittee: KOMPONG INC	Zip: 27103	E	Email 1: <sup>sokphorr</sup>						
Wastewater System:   ✓ Municipal/Communit Water Supply:   ✓ Municipal/Communit Permittee:   KOMPONG INC	ty  On-Site System	E		n18@cs.com	Category #: _IV				
Water Supply: Municipal/Communit Permittee: KOMPONG INC				n18@cs.com					
Permittee: KOMPONG INC	ty U On-Site System								
			Email 2:						
Тетернопе(666) 766 2666		_	mail 3:						
	_								
	<u>`</u>	perature Obs							
	Temp Item I60 hot water	Location three comp sin	Tem <sub>l</sub> nk 122	p Item	Location	Temp			
veggies final cook 1	sanitizer	three comp sin	nk (ppm) 100						
noodles walk in 4	10 scallops	make unit	38						
chicken raw walk in 4	beef	make unit	40						
rice rice cooker 1	167								
brown rice rice cooker 1	169								
carrots steam unit 1	192								
carrots cooling 1	184								
and preparation. Have more empty  3-501.16 (A)(2) and (B) Potential large pans of rice in walk in coole foods held cold must be kept at 4 large amounts of food do not starpans of rice. 0 pts.  33 3-501.13 Thawing - C One pan or running water under 70F, under uplaced it in cold holding equipme	lly Hazardous Foo er were stacked or 45F or lower at all ck them, use shall of shrimp thawing i refrigeration, or as	d (Time/Temperantop of another witimes. PIC stated ow pans with loc	ature Control for with the top at 44 d that rice was c ose coverings to water bath. Whe	r Safety Food), Ho 8F and the bottom cooked the previou promote rapid coo	at 52F. Potentially s day (7/18/17). Wh ling. CDI: PIC disc ey may be thawed	hazardo nen cool arded bo under			
		Last	·						
Person in Charge (Print & Sign): Regulatory Authority (Print & Sign): <sup>Josepl</sup> REHS ID: 245	First h  60 - Chrobak, Jos	<i>Last</i> Chrobak	. <i>C</i>	In E. S. In Explored Date of the Control of the Con	<b>—</b> //L17				

4hhs

**KOPH** 

Spell

Establishment Name: KOTTA JAPANESE RESTAURANT Establishment ID: 3034011994

Observations	and Corrective	Actions
Cuservalions	and Conecive	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C Cleaning needed on gas supply lines behind cooking equipment to remove grease accumulation. 0 pts
- 5-203.14 Backflow Prevention Device, When Required P Spray hose nozzle attached to hose at can wash. Can wash only has pre installed atmospheric backflow prevention. To prevent potential backsiphonage to the water supply a water supply under pressure (spray nozzle) must be protected with a backflow preventer rated for continuous pressure applications or the source of pressure must be removed after every use. CDI: Spray nozzle removed from hose during inspection. // 5-205.15 System Maintained in Good Repair P Sprayer at three compartment sink is leaking and is wrapped with a orange towel to contain leak. Repair the sprayer to prevent leak and remove the towel to prevent cleaning impediments.
- 52 5-501.113 Covering Receptacles C Garbage dumpster has one door open and both lids open, cardboard dumpster has one lid open. Dumpsters must be kept closed. Regularly check dumpsters and dumpster area for maintaining and cleaning needs.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Repeat: Edges around grease trap lid are sealed with plastic wrapping. Have the lid to the grease trap lid repaired in such a way that sealing it to the floor does not require plastic wedged between the lid and its frame.





Establishment Name: KOTTA JAPANESE RESTAURANT Establishment ID: 3034011994

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KOTTA JAPANESE RESTAURANT Establishment ID: 3034011994

### Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: KOTTA JAPANESE RESTAURANT Establishment ID: 3034011994

### Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



