
Food Establishment Inspection Report Score: 95.5 Establishment Name: COOK OUT #16 Establishment ID: 3034020519 Location Address: 4505 KESTER MILL ROAD Date: 11/16/2020 City: WINSTON SALEM Status Code: A State: NC County: 34 Forsyth Time In: 1:43 PM Time Out: 3:30 PM Zip: 27103 Total Time: 1 hrs 47 min Permittee: COOK OUT KESTER MILL LLC Category #: III Telephone: (336) 760-3335 FDA Establishment Type: Fast Food Restaurant Wastewater System: Municipal/Community On-Site System No. of Risk Factor/Intervention Violations: 2 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 0 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals Public Health Interventions: Control measures to prevent foodborne illness or injury and physical objects into foods. IN OUT N/A N/O Compliance Status IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653. .2655. .2658 PIC Present; Demonstration-Certification by accredited program and perform duties ماماماق 28 | | | | | | Pasteurized eggs used where required Employee Health .2652 200 -29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3190 - -Variance obtained for specialized processing 30 | | | | | | | 190-X Proper use of reporting, restriction & exclusion 3150 - -Food Temperature Control .2653, .2654 Good Hygienic Practices .2652, .2653 Proper cooling methods used; adequate 31 🖾 🗆 equipment for temperature control 4 🛛 🗀 Proper eating, tasting, drinking, or tobacco use 32 0 0 0 Plant food properly cooked for hot holding 5 🛛 П No discharge from eyes, nose or mouth Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🖾 🗆 Thermometers provided & accurate 420-6 X Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre- \boxtimes 3 13 0 0 0 approved alternate procedure properly followed 35 🛛 🗆 Food properly labeled: original container 2100-0 8 🖂 Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🛛 🗆 | - | - | - | - | - | 9 🛛 م ام امالاتات Food obtained from approved source Contamination prevented during food 37 🛛 🗀 210 0 0 0 preparation, storage & display 10 Food received at proper temperature (2)M(0) (2) (2) (2) 38 🖾 🗆 Personal cleanliness Food in good condition, safe & unadulterated 2000 o o o 39 🖾 🗀 Wiping cloths: properly used & stored Required records available: shellstock tags, 12 🗆 | | | | | | | | | | parasite destruction 40 🖾 🗀 🗀 Washing fruits & vegetables Protection from Contamination Proper Use of Utensils □ □ □ Food separated & protected 3150 - -41 🖾 🗆 In-use utensils: properly stored 14 🗆 \boxtimes Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, 42 🗆 🗖 Proper disposition of returned, previously served, dried & handled 15 🛛 \Box reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 Potentially Hazardous Food Time/Temperature stored & used □ □ □ Proper cooking time & temperatures 3190 - -44 🛛 🗀 Gloves used properly Utensils and Equipment .2653, .2654, .2663 17 🗆 □ □ □ Proper reheating procedures for hot holding 3130 - -Equipment, food & non-food contact surfaces 45 🛛 🗀 approved, cleanable, properly designed, constructed, & used 3 15 0 0 П □ □ □ Proper cooling time & temperatures Warewashing facilities: installed, maintained, & Proper hot holding temperatures 3150 - -46 🛛 🗆 3130 - -Proper cold holding temperatures |47| □ | 🖾 Non-food contact surfaces clean Proper date marking & disposition 3150 - -Physical Facilities .2654, .2655, .2656 Time as a public health control: procedures & 48 🛛 🔲 🔲 Hot & cold water available: adequate pressure 200 o o o 22 🛛 🗆 🗆 🗆 records 49 X 🗆 Consumer Advisory .2653 Plumbing installed; proper backflow devices Consumer advisory provided for raw or 23| | | | | | | | 50 🛛 🗆 200 o o o Sewage & waste water properly disposed undercooked foods Highly Susceptible Populations .2653 Toilet facilities: properly constructed, supplied 51 🛛 🗀 & cleaned Pasteurized foods used; prohibited foods not |24| □ | □ | 🖾 Garbage & refuse properly disposed; facilities maintained 52 🔲 🕅 Chemical .2653 ..2657 25 Food additives: approved & properly used 53 🗆 🛭 1 03 0 Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;



27 🗆 🗆 🖾

Conformance with Approved Procedures

26 🛛

Total Deductions: |4.5

1 040 - -

54 🛛 🗀

designated areas used

2653 2654 2658

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Comment Addendum to Food Establishment Inspection Report

Comment / tadendam to 1 ood Establishment mepestion report							
Establishment Name: COOK OUT #16	Establishment ID: 3034020519						
Location Address: 4505 KESTER MILL ROAD City: WINSTON SALEM State: NC	Inspection ☐ Re-Inspection Date: 11/16/2020 Comment Added to Management (Added to Manageme						
County: 34 Forsyth Zip: 27103	Comment Addendum Attached? X Status Code: A Water sample taken? Yes X No Category #: III						
Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System	Email 1:						
Permittee: COOK OUT KESTER MILL LLC	Email 2:						
Telephone: (336) 760-3335	Email 3:						
Temperature Observations							

Effective January 1, 2019 Cold Holding is now 41 degrees or less									
Item	Location	Temp	Item	Location	Temp Item	Location	Temp		
Grilled Chicken	final cook	179	Chili	hot holding	139				
Chicken Tenders	final cook	212	Cheese	hot holding	141				
Chicken Fillet	final cook	211	BBQ	hot holding	138				
Burger	final cook	190	C. Sani	3-compartment sink	50				
Hot Dog	hot holding	159	Hot Water	3-compartment sink	131				
Ambient	walk-in cooler	38	Serv Safe	Travis Ingram 6-21-21	000.0				
Lettuce	make-unit	39							
Cole Slaw	make-unit	39							

First Person in Charge (Print & Sign): Travis

Ingram

First

Last

Last

Regulatory Authority (Print & Sign): Victoria Murphy

REHS ID: 2795 - Murphy, Victoria

Verification Required Date:



Comment Addendum to Food Establishment Inspection Report

Establishment Name: COOK OUT #16 Establishment ID: 3034020519

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 5-205.11 Using a Handwashing Sink-Operation and Maintenance PF: An employee was observed rinsing off the milkshake splash guard in the handwashing sink. A handwashing sink may not be used for purposes other than handwashing. CDI: The employee was educated on the purposes and uses of the handwashing sink.
- 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P: Five pans were stored soiled in the clean dish area. Equipment food-contact surfaces and utensils shall be clean to sight and touch. CDI: Items were placed in the warewashing are to be cleaned.
- 42 4-901.11 Equipment and Utensils, Air-Drying Required C: Several pans observed stacked wet in the clean dish area. After cleaning and sanitizing, equipment and utensils shall be air-dried.
- 47 4-602.13 Nonfood Contact Surfaces-REPEAT C: Thorough cleaning is needed to/on the following: walls outside walk-in freezer, walls outside the walk-in cooler, caulk around 3-compartment sink, knife holder, shelves in walk-in cooler, shelves and tables along the preparation line, and on all equipment Nonfood-contact surfaces of equipment shall be cleaned at a frequency to preclude accumulation of soil residues.
- 52 5-501.113 Covering Receptacles C: The lid of the outside recyclable was observed open. Receptacles and waste handling units for refuse, recyclables, and returnables shall be covered.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods -REPEAT- C: Replace damaged wall panel beside back hand sink/cove tile base detaching from wall under back hand sink/recaulk around toilet in bathroom. Physical facilities shall be maintained in good repair. 6-501.12 Cleaning, Frequency and Restrictions REPEAT-C: Thorough cleaning is needed to the floors and walls throughout the establishment. Physical facilities shall be cleaned as often as necessary to keep them clean.