Food Establishment Inspection Report Score: 98 Establishment Name: SPEEDWAY 8202 Establishment ID: 3034020660 Location Address: 4301 STYERS FERRY ROAD City: WINSTON SALEM Date: 01/21/2021 Status Code: A State: NC Time In:  $11 : 55 \overset{\otimes}{\circ} ^{\text{am}}_{\text{pm}}$ Time Out: Ø 1 : 25⊗ pm County: 34 Forsyth Zip: 27104 Total Time: 1 hr 30 minutes SPEEDWAY, LLC Permittee: Category #: II Telephone: (336) 945-0507 FDA Establishment Type: Fast Food Restaurant Wastewater System: ⊠Municipal/Community □ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0  $\times$ Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-7 🗆 3150 - approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 Approved Source .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🗆 🗆 🗷 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🛛 | 🗆 | 🗆 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷  $\boxtimes$ 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 2 1 0 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗆 🗷 Chemical .2653, .2657 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

**Total Deductions:** 

210 - -

			<u> F000</u>		nment inspection	i Report		
Establishment Name: SPEEDWAY 8202				Establishment ID: 3034020660				
Location Address: 4301 STYERS FERRY ROAD				⊠Insp∈	☑ Inspection ☐ Re-Inspection Date: 01/21/2021   Comment Addendum Attached? ☐ Status Code: A   Water sample taken? ☐ Yes ☒ No Category #: II			
City: WINSTON SALEM State: NC				Commen				
County: 34 Forsyth Zip: 27104								
Wastewater System:   Municipal/Community □ On-Site System  Water Supply:   Municipal/Community □ On-Site System				Email 1	. 0008202@stores.speedwa	y.com		
Water Supply:   ✓ Municipal/Community   ✓ On-Site System  Permittee: SPEEDWAY, LLC			Email 2	Email 2:				
	(336) 945-0507			Email 3	3:			
		Tempo	erature	Observati				
	Co	·						
ltem ServSafe	Location Ashley Bustle 8-24-22	Temp Item 0	Locatio		41 Degrees or les	Location	Temp	
hot dog	reheat	155						
hot dog	upright cooler	39						
hot water	3-compartment sink	140			·			
quat (ppm)	3-compartment sink	300						
tornado	roller grill	140						
milk	milk dispenser	39						
		Observatio						
					or as stated in sections 8-405 ports on storage shelves b			
underne	eath dump sink, in cabi	inets underneath soda	a machine	, on dunnage	dispensers for cup lids be e rack with soda syrup bo ncy necessary to maintain	xes, and on walk		
	5 (B) System maintain repair. 0 pts.	ed in good repair - C -	· Leak und	lerneath 3-co	ompartment sink. Plumbir	ng fixtures shall b	e maintained	
Lock Text								
_		First	D #	Last	-10//	_	<u>.                                    </u>	
Person in Char	ge (Print & Sign): Asi	nley 	Bustle				(7)	
Regulatory Aut	hority (Print & Sign): <sup>And</sup>	<i>First</i> drew	Lee	Last	and	Lu RC	45	
REHS ID: 2544 - Lee, Andrew					Verification Required D	)ate· / /		
DEHC C		·			verilleation ivequiled b	, dic		
	ontact Phone Number: ( orth Carolina Department of Ho			blic Health ● Fr	nvironmental Health Section • F	ond Protection Progra	ım 🕡	

DHHS is an equal opportunity employer.

Page 2 of \_\_\_\_\_ Food Establishment Inspection Report, 3/2013



Establishment Name: SPEEDWAY 8202 Establishment ID: 3034020660

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 52 5-501.114 Using Drain Plugs C Drain plug missing on dumpster. Contact waste management company to put new drain plug on drainage port. // 5-501.115 Maintaining Refuse Areas and Enclosures C Repeat Trash and litter around dumpster area. Refuse areas shall be maintained clean and free of unnecessary items and litter.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Repeat Edges of FRP walls are separating in walk way to back storage area. Also, handsink in men's restroom needs to be resealed to the wall, and there is no coved base in both restrooms. Floors, walls and ceilings shall be in good repair and easily cleanable. Floor and wall junctures must be coved to aid in cleaning.





Establishment Name: SPEEDWAY 8202 Establishment ID: 3034020660

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SPEEDWAY 8202 Establishment ID: 3034020660

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: SPEEDWAY 8202 Establishment ID: 3034020660

## **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



