rood Establishinent inspection	кероп				50	core: <u>92.5</u>				
Establishment Name: BOWMAN GRAY STADIUM ST.	AND #2			Fst	ablishment ID: 3034020230					
Location Address: 1250 MARTIN LUTHER KING JR. D					☐ Inspection ☐ Re-Inspection					
City: WINSTON-SALEM	State: NC		Da	te: (08/01/2015 Status Code: A					
-	otate				n: <u>Ø 5</u> : <u>3 Ø ⊗ pm</u> Time Out: <u>Ø 7</u> : <u>0</u>	Ø Ø O am				
			To	tal T	ime: 1 hr 30 minutes	<u>s s</u> ⊗ pili				
Permittee: CITY OF WS			Category #: II							
Telephone: (336) 777-0803			EDA Establishment Type:							
Wastewater System: $oxtimes$ Municipal/Community [\square On-Site Sys				Risk Factor/Intervention Violations:	2				
Water Supply: ⊠Municipal/Community ☐ On-	Repeat Risk Factor/Intervention Viol									
					•					
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing foods		Good	Reta	il Prac	Good Retail Practices	nogens chemicals				
Public Health Interventions: Control measures to prevent foodborne illness or injury.				Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.						
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN C)UT N	I/A N/C	Compliance Status	OUT CDI I	R VR			
Supervision .2652 1 PIC Present; Demonstration-Certification by		Safe Fo	_							
accredited program and perform duties		+	_	×	Pasteurized eggs used where required	1 0.5 0	쁘			
Employee Health .2652 2 🖾 🗆 Management, employees knowledge; responsibilities & reporting	3 1.5 0	29 🔀 🛚			Water and ice from approved source	210 _ [
		30 🗆 🛚		X _	Variance obtained for specialized processing methods	1 0.5 0				
Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653	3 1.5 0		emp	eratu	re Control .2653, .2654 Proper cooling methods used; adequate					
4 🗵 🗆 Proper eating, tasting, drinking, or tobacco use	210	31 🗷	Щ		equipment for temperature control	1 0.5 0	4			
5 🗵 🗆 No discharge from eyes, nose or mouth	1 0.5 0	32 🗆 🗆		X D	Plant food properly cooked for hot holding	1 0.5 0				
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 🗷			Approved thawing methods used	1 0.5 0				
6 🛛 🗌 Hands clean & properly washed	420	34 🗵 🛚			Thermometers provided & accurate	1 0.5 0				
7 🗵 🗆 🖂 No bare hand contact with RTE foods or pre-	3 1.5 0	Food I	dent	ificati						
8 🗵 🗌 Handwashing sinks supplied & accessible	210	35 🗵 🛚		-	Food properly labeled: original container	2 1 0				
Approved Source .2653, .2655			ition	01 FO	od Contamination .2652, .2653, .2654, .2656, .261 Insects & rodents not present; no unauthorized					
9 🗵 🗌 Food obtained from approved source	210	$1 \rightarrow 1 \rightarrow 1$	+		animals Contamination prevented during food		#			
10 🔲 🖂 Food received at proper temperature	210				preparation, storage & display	2 1 0	ᆜᆜ			
11 🛛 🗌 Food in good condition, safe & unadulterated	210	38 🗵	Ц		Personal cleanliness	1 0.5 0	ᄖ			
12	210	39 🗵			Wiping cloths: properly used & stored	1 0.5 0				
Protection from Contamination .2653, .2654		40 🗵 🛚		<u> </u>	Washing fruits & vegetables	1 0.5 0				
13 🔲 🗷 🖂 Food separated & protected	3 🗙 0 🗆 🗆	Proper	_	of Ut	,					
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized	3 1.5 0	41 🛛			In-use utensils: properly stored Utensils, equipment & linens: properly stored,					
15 🗵 🗆 Proper disposition of returned, previously served, reconditioned, & unsafe food	210	42 🔀			dried & handled	1 0.5 0	쁘			
Potentially Hazardous Food Tlme/Temperature .2653		43 🗷			Single-use & single-service articles: properly stored & used	1 0.5 0				
16 🛛 🖂 🖂 🖂 Proper cooking time & temperatures	3 1.5 0	44 🔀 🛚			Gloves used properly	1 0.5 0				
17 🗵 🗆 🗆 Proper reheating procedures for hot holding	3 1.5 0	Utensi	ls ar	ıd Equ	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces					
18 🔲 🔲 🔀 🔲 Proper cooling time & temperatures	3 1.5 0	45 🗆	X		approved, cleanable, properly designed, constructed, & used		⊠			
19 ☒ ☐ ☐ Proper hot holding temperatures	3 1.5 0	46 🗵			Warewashing facilities: installed, maintained, & used: test strips	1 0.5 0	$\exists \Box$			
20 🛛 🗆 🖂 Proper cold holding temperatures	3 1.5 0	1 — — —	X		Non-food contact surfaces clean	X 0.5 0	X 🗆			
21 🔲 🖂 🔛 Proper date marking & disposition	3 1.5 0	Physic		acilitie						
72 Time as a public health control: procedures &					Hot & cold water available; adequate pressure	210 🗆				
Consumer Advisory .2653		49 🔀			Plumbing installed; proper backflow devices	210 _				
23 Consumer advisory provided for raw or undercooked foods	1 0.5 0	50 🗵	П		Sewage & waste water properly disposed	210	$\forall \Box$			
Highly Susceptible Populations .2653		1——	X	7	Toilet facilities: properly constructed, supplied	1 0.5 🗶 🗶	\pm			
24	3 1.5 0	52 🗷		_	& cleaned Garbage & refuse properly disposed; facilities	1 0.5 0				
Chemical .2653, .2657		1			maintained					
25		+	×		Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;	 				
26 Toxic substances properly identified stored, & used	210 -	54 🔀 🛭			designated areas used	1 0.5 0				
Conformance with Approved Procedures .2653, .2654, .2658		11			-	7.5				



Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 7.5

Establishment Name: BOWMAN GRAY STADIUM STAND #2			Establishm	Establishment ID: 3034020230							
Location Address: 1250 MARTIN LUTHER KING JR. DR.		☐ Inspection ☐ Re-Inspection Date: 08/01/2015									
	NSTON-SALEM			tate: NC	•	Comment Addendum Attached?			e: _A		
,	34 Forsyth		_ Zip: 27101					gory #: <u> </u>			
	er System: 🗷 Municipal/Com				Email 1: hie	ter-nicholas@	aramark.cor				
•	Water Supply: ✓ Municipal/Community ✓ On-Site System Permittee: CITY OF WS		Email 2:								
	ne: (336) 777-0803				Email 3:						
Голория			Temr	erature C	bservations						
Item	Location	Temp	Item	Location	bsel valion.	Temp Item		Location	Temp		
hot dogs	cook temp	175									
chicken	cook temp	153	_								
reach-in	air temp	40									
hot water	3 comp	121									
sanitizer	dispenser at 3 comp	200									
					orrective A						
	Violations cited in this report 2 Certified Food Protect										
surfaces	5 (A) Gloves, Use Limita s with gloves on. Glove terruptions occur in the	s are to b	e worn when	preparing re	ady to eat food	ds and shoul					
6 6-202.1	5 Outer Openings, Prote			roon door no		ripped and	not proporly				
	r. Outer openings of a fo	ood estab	lishment shal								
the door		F huck	ürst	I be protected by	ed against the e						
the door Repair.	narge (Print & Sign):	F huck		I be protected by	ed against the e						

REHS Contact Phone Number: (336)703 - 3133



Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations	and Co	rractiva	Actions
Chockannio	and Gu	ハーセしいソヒ	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

- 4-501.11 Good Repair and Proper Adjustment-Equipment C- Legs of equipment, table tops, ice machine, shelving all rusty. Front counter top is separating from the wood. Stainless damaged and missing around the chute of the ice machine. Equipment shall be maintained in good repair. Repeat
- 47 4-602.13 Nonfood Contact Surfaces C- Shelving, tables, legs of equipment all need additional cleaning. Floor in walk-in needs cleaning to remove debris and ice build up. Non food contact surfaces shall be cleaned at a frequency necessary to preclude the accumulation of soil residue. Repeat
- 6-302.11 Toilet Tissue, Availability PF- 0 points- Toilet paper dispenser was empty. Toilet paper was available on a she f in the restroom, but not necessarily in easy reach. Toilet paper must be provided. CDI- Operator provided toilet paper.
 - 6-201.11 Floors, Walls and Ceilings-Cleanability C/ 6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed C6-501.12 Cleaning, Frequency and Restrictions C- All floors, walls, and ceiling surfaces shall be smooth and easily cleanable. Damaged wall surfaces need to be repaired. Loose or missing baseboard or vinyl coving needs to be repaired or replaced. Floors need to be thoroughly cleaned at the end of operating hours, especially under equipment, in corners, along wall edges. Repeat





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BOWMAN GRAY STADIUM STAND #2 Establishment ID: 3034020230

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



