F	Food Establishment Inspection Report Score: 96.5																		
Establishment Name: BISCUITVILLE 167 Establishment ID: 3034011069												•							
	ocation Address: 921 S MAIN ST								Inspection ☐ Re-Inspection										
Cit	City: KERNERSVILLE State: NC								Date: 0 7 / 1 3 / 2 0 1 7 Status Code: A										
7ir	Zip: 27284 County: 34 Forsyth								Time In: $09:25 \otimes am$ Time Out: $11:30 \otimes am$ pm										
•					BISCUITVILLE INC					Total Time: 2 hrs 5 minutes									
			ee:	_					Category #: III										
	_				(336) 996-0616				FDA Establishment Type: Fast Food Restaurant										
					System: Municipal/Community			-	No. of Risk Factor/Intervention Violations: 1									-	
N	Water Supply: ⊠Municipal/Community ☐ On-Site Supply									No. of Repeat Risk Factor/Intervention Violations:									
_										·									
	Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.									Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,									
P	ubli	с Не	alth I	Inter	ventions: Control measures to prevent foodborne illness or	injury.			<u> </u>					and physical objects into foods.					_
	IN OUT N/A N/O Compliance Status				•	OUT CDI R VR				IN C	_	_		Compliance Status	OUT CDI R VR				
\neg	upe 🔀	rvis			.2652 PIC Present; Demonstration-Certification by		il—I—	ЛO	$\overline{}$	fe Fo	$\overline{}$	$\overline{}$	d Wa	, , , , , , , , , , , , , , , , , , ,					_
			e He	alth	accredited program and perform duties .2652			1111	+	_	+	×		Pasteurized eggs used where required	+	-		╬	_
$\overline{}$	×	∪yc.	110	aitti	Management, employees knowledge; responsibilities & reporting	3 1.5 0		10	29 [=+	_			Water and ice from approved source	21	0	4	#]
-		_			Proper use of reporting, restriction & exclusion	3 1.5 0	 		30 [X		Variance obtained for specialized processing methods	1 0.5	0		끄]
		Hv	nien	ic Pı	ractices .2652, .2653	3 1.3 0						oera		e Control .2653, .2654 Proper cooling methods used; adequate			T		
\neg	\boxtimes		91011		Proper eating, tasting, drinking, or tobacco use	2 1 0	Ini	ПП	31	\rightarrow	4			equipment for temperature control		0	4	#]
_	×	П			No discharge from eyes, nose or mouth	1 0.5 0			32 [×	Plant food properly cooked for hot holding	1 0.5	0 [][먇]
_		ntin	a Co	onta	mination by Hands .2652, .2653, .2655, .2656		,11-		33 [X	Approved thawing methods used	1 0.5	0 []
\neg	X				Hands clean & properly washed	420			34	X				Thermometers provided & accurate	1 0.5	0		ᄓ]
7	X				No bare hand contact with RTE foods or pre-	3 1.5 0		П		od lo	dent	ific	atio	n .2653		Ţ	Ţ		Ī
-	X	П			approved alternate procedure properly followed Handwashing sinks supplied & accessible	210			35		<u> </u>			Food properly labeled: original container	21	0		ᆵ]
- 1		ove	d So	urce					-	$\overline{}$	$\overline{}$	of	Foc	nd Contamination .2652, .2653, .2654, .2656, .265 Insects & rodents not present; no unauthorized	$\overline{}$		J	1	
\neg	X				Food obtained from approved source	210			36	-	4			animals	21	= -	4	#]
10				X	Food received at proper temperature	210			37 [×			Contamination prevented during food preparation, storage & display	2 🗶	0		모]
\dashv	<u> </u>	$\overline{\Box}$			Food in good condition, safe & unadulterated	210	+		38	Ş				Personal cleanliness	1 0.5	0 []
12		_	\boxtimes		Required records available: shellstock tags,	210			39	X	\exists			Wiping cloths: properly used & stored	1 0.5	0		ᄓ]
P	rote	ctio	$\overline{}$	om (parasite destruction Contamination .2653, .2654			1	40	X I				Washing fruits & vegetables	1 0.5	0]
\neg		X			Food separated & protected	3 🗙 0			Pro	oper	Use	e of	Ute	ensils .2653, .2654					
14	X	П			Food-contact surfaces: cleaned & sanitized	3 1.5 0			41	X]			In-use utensils: properly stored	1 0.5	0 [<u> </u>]
\rightarrow	<u></u>	_			Proper disposition of returned, previously served,	210			42	X	\exists			Utensils, equipment & linens: properly stored, dried & handled	1 0.5	0		ᄓ]
		ntial	lv Ha	azar	reconditioned, & unsafe food dous Food TIme/Temperature .2653			111	43	X				Single-use & single-service articles: properly stored & used	1 0.5	0 [<u> </u>	JE]
\neg	×				Proper cooking time & temperatures	3 1.5 0			44 [X I	T			Gloves used properly	1 0.5	0 [<u> </u>	_
17				X	Proper reheating procedures for hot holding	3 1.5 0			Ute	ensi	s ar	nd E	Equi	ipment .2653, .2654, .2663					
18	П	П		×	Proper cooling time & temperatures	3 1.5 0	ПГ	10	45 [_ ı	Ż			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	21	X []
\dashv	\mathbf{x}	_			Proper hot holding temperatures	3 1.5 0			46		╅			constructed, & used Warewashing facilities: installed, maintained, &	1 0.5			╁	-
\dashv	\mathbf{x}	_		П	Proper cold holding temperatures	3 1.5 0			47 [-	<u>-</u>			used; test strips Non-food contact surfaces clean	+	_		╬	ر -
\dashv	\mathbf{X}	_		П	Proper date marking & disposition	3 1.5 0			\perp	ysic	$=$ \perp	acil	ities			الك	-		J
22		_	×		Time as a public health control: procedures &	210			-	X				Hot & cold water available; adequate pressure	21	0 [JE	泟]
22 C	ons	ume	er Ac	lviso	records	كالتاك		1	\vdash	-	╗			Plumbing installed; proper backflow devices	21	0 [7	┰	1
23			×	10150	Consumer advisory provided for raw or undercooked foods	1 0.5 0			50	-	=			Sewage & waste water properly disposed	2 1	0 [7	_ 1
Н	ighl	y Sı	$\overline{}$	ptib	le Populations .2653					X	\dashv	7		Toilet facilities: properly constructed, supplied		0		╬	_ _
24			X		Pasteurized foods used; prohibited foods not offered	3 1.5 0				\dashv	_	4		& cleaned Garbage & refuse properly disposed; facilities		#	#	#	_
C	hen	nica			.2653, .2657					_	X			maintained	0.5	_		X	_
25			X		Food additives: approved & properly used	1 0.5 0			53 [_	×			Physical facilities installed, maintained & clean	1 0.5	X	4	1]
26	\				Toxic substances properly identified stored, & used	210			54 [×			Meets ventilation & lighting requirements; designated areas used	1 0.5	X		<u>]</u> []
C	onf	orma		wit	h Approved Procedures .2653, .2654, .2658 Compliance with variance, specialized process,			J			_			Total Deductions:	3.5				ĺ
27	Ш	Ш	×		reduced oxygen packing criteria or HACCP plan	210								Total Deductions.	\perp				

27 🗆 🗆 🗷



	Comment A	Addend	dum to F	ood Es	tablishm	ent	Inspecti	on Report			
Establishn	nent Name: BISCUITVI	LLE 167		Establishment ID: 3034011069							
Location	Address: 921 S MAIN S	T									
City:_KEI	te: NC	Comment Adde	ndum	Attached?	Status Code:	Α					
County:		Category #:									
	er System: 🗷 Municipal/Con				Email 1: bv167@biscuitville.com						
Water Sup	ply: ⊠ Municipal/Con e: BISCUITVILLE INC	nmunity 🗌 (On-Site System		Email 2:						
	ne:_(336) 996-0616				Email 3:						
releprior	le(000) 000 0010				Elliali 3.						
					servations						
Item Keith Karche	Location er 02/26/21	Temp 0	Item Sausages	Location Final	T 17	emp 2	Item Pork chops	Location Hot hold	Temp 167		
Hot water	3 comp sink	157	Cole slaw	Make unit	38		Grits	Hot hold	162		
Quat sanitiz	er 3 comp sink	400	Lettuce	Make unit	43	<u> </u>	Oatmeal	Hot hold	162		
Eggs	Final	169	Tomatoes	Make unit	39	1	Cole slaw	Walk-in cooler	38		
Grilled chick	en Final	193	Milk	Drive-thru c	ooler 44		Air temp	Walk-in cooler	38		
Chicken filet	Final	174	Air temp	Egg cooler	39	1	Eggs	Walk-in cooler	41		
Gravy	Final	178	Eggs	Hot hold	16	1	Air temp	Biscuit cooler	38		
Grits	Final	190	Chicken patty	Hot hold	18	8	Lettuce	Reach-in cooler	46		
	Violations cited in this rep				rrective Act						
37 3-30 of for	e fries inside small reading temperatures. CDI- 5.12 Food Storage, Prood. Food may not be sto	Chicken p hibited Are ored under	eas - C- Conde leaking water	m of reach-i	n. evaporator box ich water has c	inside onder	e walk-in freezensed. Remove	er is leaking onto so food from leak. is needed on spray	ealed boxes		

REHS ID: 2551 - Robert, Eva

Verification Required Date:

REHS Contact Phone Number: (336)703 - 3135



Establishment Name: BISCUITVILLE 167 Establishment ID: 3034011069

Observations	and	Corrective	Actions
Cuservanons	anu	COHECHVE	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 52 5-501.111 Area, Enclosures and Receptacles, Good Repair C- REPEAT. Replacement of recycling dumpster is needed as crack is present on bottom corner and severe rusting present. Receptacles shall be maintained in good repair.
- 53 6-501.12 Cleaning, Frequency and Restrictions C- 0 pts. Wall cleaning needed inside walk-in cooler. Walls shall be kept clean.

6-501.14 Cleaning Ventilation Systems, Nuisance and Discharge Prohibition - C- 0 pts. Air vents inside men's restroom require additional cleaning. Ventilation systems shall be kept clean.





Establishment Name: BISCUITVILLE 167 Establishment ID: 3034011069

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BISCUITVILLE 167 Establishment ID: 3034011069

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: BISCUITVILLE 167 Establishment ID: 3034011069

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



