Food Establishment Inspection Report Score: 99 Establishment Name: TARGET STORE 1086 CAFE Establishment ID: 3034011134 Location Address: 1040 HANES MALL BLVD City: WINSTON SALEM Date: 07 / 14 / 2017 Status Code: A State: NC Time In: $01 : 15 \overset{\bigcirc{}}{\otimes} 1$ Time Out: Ø 2: 25 8 pm County: 34 Forsyth Zip: 27103 Total Time: 1 hr 10 minutes TARGET MERVYNS Permittee: Category #: II Telephone: FDA Establishment Type: Fast Food Restaurant Wastewater System: ⊠Municipal/Community □On-Site System No. of Risk Factor/Intervention Violations: 0 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛭 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗷 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🔀 1 0.5 0 \times П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used; adequate 1 0.5 0 31 🛛 🗆 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0 \square 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗷 🗆 1 0.5 0 - -Thermometers provided & accurate 420 _ _ _ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗀 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🗆 🗆 🗷 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3 1.5 0 13 Food separated & protected 41 🗖 🗆 1 0.5 0 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🔯 🖂 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 ... Potentially Hazardous Food Tlme/Temperature stored & used 16 □ □ □ □ X Proper cooking time & temperatures 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 |17| 🔲 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🖂 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🔀 Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔀 🖂 🖂 210 - -Hot & cold water available; adequate pressure 210 49 🗖 2100 Plumbing installed: proper backflow devices **Consumer Advisory** .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛭 🗆 1 0.5 0 Chemical .2653, .2657



25 🔀 🖂 🗀

|27| 🗆 | 🗆 | 🔀

26 🔀 Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



1 0.5 0 ...

53 🗆 🗷

54

maintained

designated areas used

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements;

Total Deductions:

П

1 0.5 0

210 - -

Establishment Name: TARGET STORE 1086 CAFE				Establishment ID: 3034011134			
Location Address: 1040 HANES MALL BLVD City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27103 Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System Permittee: TARGET MERVYNS Telephone:			7103 vstem	☐ Inspection ☐ Re-Inspection ☐ Date: 07/14/2017 Comment Addendum Attached? ☐ Status Code: A Category #: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐			
Тетерногіє	.						
li	Lacation			Observations		1	T
Item Hot Dog	Location Upright Cooler	Temp Item 38	Location	Temp) Item	Location	Temp
Hot Water	Three Comp Sink	133					
Sanitizer	Three Comp Sink (PPM)	300					
Ambient Air	Back Drink Cooler	34					
Ambient Air	Front Drink Cooler	36					
Nicole	10/14/20	0					

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

53 6-201.11 Floors, Walls and Ceilings-Cleanability - C Repeat: Floor tiles under three compartment sink are damaged and bowing out. Water from three compartment sink is splashing onto the tiles and causing water to pool around them and cause the damage. Recommend extending the drain to be further over the floor sink to prevent splash. / Repeat: cabinets at drink station had broken door hinges that need to be replaced so doors can be easily opened for cleaning and do not fall off. / Physical facilities shall be kept in good repair.

First Last Nicole Wachter Person in Charge (Print & Sign): Last First Regulatory Authority (Print & Sign): Joseph Chrobak

REHS ID: 2450 - Chrobak, Joseph

Verification Required Date:

REHS Contact Phone Number: (336) $703 - \underline{3164}$





Establishment Name: TARGET STORE 1086 CAFE Establishment ID: 3034011134

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: TARGET STORE 1086 CAFE Establishment ID: 3034011134

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Page 4 of N/A Food Establishment Inspection Report, 3/2013

Establishment Name: TARGET STORE 1086 CAFE Establishment ID: 3034011134

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: TARGET STORE 1086 CAFE Establishment ID: 3034011134

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



