Food Establishment Inspection Report Score: <u>98</u> **Establishment Name: CHINA CHEF** Establishment ID: 3034011616 Location Address: 5186 REIDSVILLE ROAD Date: 09/18/2017 Status Code: A City: WALKERTOWN State: NC Time In: $\underline{12:45 \overset{\bigcirc{}}{\otimes} \overset{am}{pm}}$ Time Out: $\underline{\emptyset3}:\underline{30 \overset{\bigcirc{}}{\otimes} \overset{am}{pm}}$ County: 34 Forsyth Zip: 27051 Total Time: 2 hrs 45 minutes **BAO LONG CORP** Permittee: Category #: IV Telephone: (336) 595-6888 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

☐ On-Site System

Water Supply: Municipal/Community □ On-Site Supply No. of Repeat Risk Factor/Intervention Violations: □ No. of Repeat Risk Factor/Intervention Violations: □																		
F	Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.									Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.								als,
Ш	N OUT N/A N/O Compliance Status OUT CDI R VR						VR	_	N OUT N/A N/O			Compliance Status	OUT		CDI	R VR		
Supervision .2652										Safe	Safe Food and Water .2653, .2655, .2658							
1 ☒ </td <th>28 🗆</th> <td></td> <td>X</td> <td></td> <td>Pasteurized eggs used where required</td> <td>1</td> <td>0.5 (</td> <td></td> <td></td>					28 🗆		X		Pasteurized eggs used where required	1	0.5 (
\Box		oye	He	alth	.2652			_		29 🔀				Water and ice from approved source	2	1		
2	X				Management, employees knowledge; responsibilities & reporting	3 1.5	0	10	Ш	30 🗆		X		Variance obtained for specialized processing methods	1	0.5 (] 🗆	
3	X	Proper use of reporting, restriction & exclusion 3 13 0								Food	l Tem	nper	atur	e Control .2653, .2654				
G	000	Ну	jieni	c Pr	ractices .2652, .2653					31 🔀				Proper cooling methods used; adequate equipment for temperature control	1	0.5		
4	X				Proper eating, tasting, drinking, or tobacco use	21	0			32 🗆	\vdash	П	X	Plant food properly cooked for hot holding	1	0.5 (
5	X				No discharge from eyes, nose or mouth	1 0.5	0			$\vdash\vdash\vdash$	H				П	7		
Р	reve	ntin	g Co	nta	mination by Hands .2652, .2653, .2655, .2656					33	-	Ш	Ш	Approved thawing methods used	1	0.5 (
6	X				Hands clean & properly washed	42	0			34 ☒ ☐ Thermometers provided & accurate				•	1	0.5		
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5	0				Food Identification .2653						_	
8	X	П			Handwashing sinks supplied & accessible	21	0	10	П		Food properly labeled: original container					1 (
ш	Approved Source .2653, .2655								\neg		n of	Foc	od Contamination .2652, .2653, .2654, .2656, .265			_		
9	<u>ър.</u>			4100	Food obtained from approved source	21	П	ПП	П	36 📙	×			animals	2	1		ШШ
10	_			×	Food received at proper temperature	21	0			37				Contamination prevented during food preparation, storage & display	2	1] 🗆	
Н] [=			38 🔀				Personal cleanliness	1	0.5	0 0	
11	× ′		_	_	Food in good condition, safe & unadulterated Required records available: shellstock tags,	2 1		1111		39 🔀				Wiping cloths: properly used & stored	1	0.5 (J 🗆	
12	Ц	Ш	X	Ш	parasite destruction	2 1	0		Ш	40 🔀	\Box	П		Washing fruits & vegetables	1	0.5 (
\neg		ctio		m C	Contamination .2653, .2654			1=			\perp	Se O	f l lte	ensils .2653, .2654			90	
\vdash	×	Ш	Ц	Ш	Food separated & protected	3 1.5		44	Ш	41 🔀				In-use utensils: properly stored	1	0.5 (
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5	0			42 🔀	+			Utensils, equipment & linens: properly stored,	1	0.5		
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	21	0				_			dried & handled Single-use & single-service articles: properly	Ħ		=	
P	otei	ntiall	у На	ızarı	dous Food Time/Temperature .2653		_			43	Ш			stored & used	1	0.5	<u> </u>	Ш
16	X				Proper cooking time & temperatures	3 1.5	0			44				Gloves used properly	1	0.5		
17				X	Proper reheating procedures for hot holding	3 1.5				Uten	sils a	and	Equi	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces		_	-	
18	X				Proper cooling time & temperatures	3 1.5	0 [45 🗆	X			approved, cleanable, properly designed, constructed. & used	2	X	<u> </u>	
19	X				Proper hot holding temperatures	3 1.5	0			46				Warewashing facilities: installed, maintained, & used; test strips	1	0.5	ם ם	
20	×				Proper cold holding temperatures	3 1.5				47 🗆	X			Non-food contact surfaces clean	1	X] 🗆	\square
21	X				Proper date marking & disposition	3 1.5	0 [Phys	ical I	Faci	lities	s .2654, .2655, .2656				
22			×		Time as a public health control: procedures & records	21	0			48 🔀				Hot & cold water available; adequate pressure	2	1		
С	ons	ume	r Ad	lvisc	ory .2653					49 🔀				Plumbing installed; proper backflow devices	2	1	<u> </u>	
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5	0			50 🗵				Sewage & waste water properly disposed	2	1	<u> </u>	
П	ighl	_	-	otib	le Populations .2653 Pasteurized foods used; prohibited foods not					51 🔀				Toilet facilities: properly constructed, supplied & cleaned	1	0.5 (ם [
24	<u></u>		×		offered	3 1.5	0		Ш	52 🔀	-			Garbage & refuse properly disposed; facilities	1	0.5 (
25		nical	×		.2653, .2657 Food additives: approved & properly used	1				53 🗆	×			maintained Physical facilities installed, maintained & clean	П	X	4=	
26	\mathbf{x}				Toxic substances properly identified stored, & used	21				54 🗆	+			Meets ventilation & lighting requirements:	\vdash	0.5	+	
\vdash		nrm:	_	wit	h Approved Procedures .2653, .2654, .2658		سال	7 ''	Щ	J4				designated areas used	Ш	U.J		
27			X	wit	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21	0							Total Deductions:	2			





	Comment	<u>Addend</u>	dum to F	<u>ood E</u>	<u>stablish</u>	<u>ment</u>	: Inspecti	<u>on Report</u>			
stablishmer	nt Name: CHINA C	HEF			Establish	ment ID	: 3034011616				
City: WALKE		SVILLE ROAD		te:_NC_	•			Status Code:	Α		
Water Supply:	ystem: 🛽 Municipal/C	ommunity 🗌 C	=		Category #: <u>IV</u> Email 1: Email 2:						
Telephone:	(336) 595-6888				Email 3:						
			Tempe	rature (Observation	าร					
ltem servsafe	Location Yan Ying Chen	Temp 0	Item eggrolls	Location walk in co	poler (cooling 1	Temp 53	Item dumplings	Location inside prep unit	Temp 39		
hot water	3 compartment sink	137	raw chix	walk in co	ooler	39	chicken	cook temp	209		
hot water	hand sink kitchen	122	pork	walk in co	ooler	38					
rice	cooker	161	noodles	walk in co	ooler	40					
soup	hot holding	176	cream cheese	walk in co	ooler	39					
sauce	hot holding	166	pork	prep unit		41					
teriyaki chix	worktop cooler	43	shrimp	prep unit		42					
eggrolls	worktop cooler	42	lettuce	prep unit		44					
45 4-101.1	m a tight seal with 1 Characteristics-N nor easily cleanab	∕laterials for 0	Construction a	nd Repail	- Wooden be	am used	to stabilize kni	fe sharpener is po			
and low	1 (B) and (C) Equi er shelves of prep ks. Clean wall she	tables and p	rep sinks wher	e they ar	e rusted/oxidiz	ed. Clea	ın metal flashin	g on wall behind a			
Person in Char	ge (Print & Sign):	<i>Fii</i> Yan Ying	rst	Chen	Last		Nys	<u>.</u>			
Regulatory Aut	hority (Print & Sign)	Fii Amanda	rst	Taylor	Last		A	la,			

REHS ID: 2543 - Taylor, Amanda

Verification Required Date:

REHS Contact Phone Number: (336)703 - 3136





Establishment Name: CHINA CHEF Establishment ID: 3034011616

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C Repeat violation. All sealants above prep sinks and 3 compartment sinks have been replaced, but junction is not smooth nor easily cleanable. Recaulk/reseal where sinks meet wall to be smooth and easily cleanable. Metal flashing has been reattached to walls where it was once separating, but repairs are not smooth and easily cleanable. Metal plate has been attached to where flashing was becoming separated. Seal any holes or warping in metal falshing to create a smooth and easily cleanable surface. If metal plate is used, be sure to caulk around edges of metal plate. Seal ceiling penetrations for gas lines on right of side of hood. Repair cracked floor tiles as needed throughout kitchen.
 - 6-501.12 Cleaning, Frequency and Restrictions C Repeat violation. Clean stained ceiling tiles and ceiling grid throughout
- 6-303.11 Intensity-Lighting C 0 points. Additional light fixture has been added to mens restroom. Lighting intensity raise from 13 footcandles to 16 footcandles. Provide a brighter bulb in the new fixture to be sure that lighting is at least 20 footcandles at plumbing fixtures.





Establishment Name: CHINA CHEF Establishment ID: 3034011616

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CHINA CHEF Establishment ID: 3034011616

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: CHINA CHEF Establishment ID: 3034011616

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



