Food Establishment Inspection Report Score: 100 Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720 Location Address: 6810 SHALLOWFORD ROAD City: LEWISVILLE Date: 09/21/2017 Status Code: A State: NC Time In:  $0 \ 2 : 0 \ 0 \overset{\bigcirc{}_{\otimes}}{\otimes} \overset{am}{pm}$  Time Out:  $0 \ 2 : 5 \ 5 \overset{\bigcirc{}_{\otimes}}{\otimes} \overset{am}{pm}$ County: 34 Forsyth Zip: 27023 Total Time: 55 minutes FOOD LION, LLC Permittee: Category #: II

FDA Establishment Type: Produce Department and Salad Bar No. of Risk Factor/Intervention Violations: 0 Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O CDI R VR Compliance Status Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🔯 🗀 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🗵 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗷 1 0.5 0  $\times$ П Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 **Good Hygienic Practices** .2652, .2653 Proper cooling methods used; adequate 1 0.5 0 31 🔯 🗀 equipment for temperature control 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 1 0.5 0  $\square$ 5 П 1 0.5 0 | | | | No discharge from eyes, nose or mouth 1 0.5 0 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🔀 🗆 1 0.5 0 - -Thermometers provided & accurate 420 \_ \_ \_ 6 🛛 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-7 □ □ □ □ ⊠ 3 1.5 0 approved alternate procedure properly followed 35 🛛 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 .2653, .2655 Approved Source Insects & rodents not present; no unauthorized 36 🗵 🗆 210 - -210 - -9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗵 🗆 preparation, storage & display 10 🗆 Food received at proper temperature 38 🛛 🗀 Personal cleanliness 1 0.5 0 - -11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗷 🗆 Wiping cloths: properly used & stored 1050 -Required records available: shellstock tags, 12 🗆 21000 40 🖾 🖂 🖂 Washing fruits & vegetables 1 0.5 0 ... **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3150 - -13 Food separated & protected 41 🔯 🗆 1 0.5 0 🗆 🗆 In-use utensils: properly stored 14 🗷 🗆 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 🗆 🗆 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210000 reconditioned, & unsafe food Single-use & single-service articles: properly 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature stored & used 3 1.5 0 44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17 🗆 3 1.5 0 | | | | Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 3 1.5 0  $\times$ Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures 47 🗷 🗆 Non-food contact surfaces clean 1 0.5 0 21 🗆 □ □ X Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 Time as a public health control: procedures & 48 🔼 🔲 🔲 210 - -Hot & cold water available; adequate pressure 210 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 - -50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 🗆 🗆 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | | | | | | | | | 53 🗷 🗆 1 0.5 0 🗆 🗆 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; 26 🗵 🗆 Toxic substances properly identified stored, & used 54 1 0.5 0 ... designated areas used Conformance with Approved Procedures .2653, .2654, .2658 **Total Deductions:** Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan |27| 🗆 | 🗆 | 🔀 210 - -



Telephone: (336) 945-4411



Comment Addendum to Food Establishment Inspection Report Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720 Location Address: 6810 SHALLOWFORD ROAD Date: 09/21/2017 City: LEWISVILLE State: NC Comment Addendum Attached? Status Code: A Zip: 27023 County: 34 Forsyth Category #: II Wastewater System:  $\blacksquare$  Municipal/Community  $\square$  On-Site System Email 1: S1062SM@RETAIL.FOODLION.COM Water Supply: Municipal/Community □ On-Site System Permittee: FOOD LION, LLC Email 2: Telephone: (336) 945-4411 Email 3: Temperature Observations Temp Item Location Item Location Temp Item Location Temp **NRFSP** Peter Duff 3-4-21 Hot water 3 comp sink 164 Quat sani 3 comp sink - ppm 200 Ambient Walk-in cooler 37 Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code. 4-501.11 Good Repair and Proper Adjustment-Equipment - C Rusted transport cart being used to store lettuce in walk-in cooler. 45 Equipment shall be maintained in good repair. 0 pts 5-205.15 System Maintained in Good Repair - C Leak at 3 compartment sink stopper (3rd vat). Leak at pipe under prep sink. 49 Repair leaks. Plumbing system shall be maintained in good repair. 0 pts Lock Text **First** Last Peter Duff Person in Charge (Print & Sign): First Last Regulatory Authority (Print & Sign): Christy Whitley

REHS ID: 2610 - Whitley Christy

Verification Required Date

REHS Contact Phone Number: ( 336) 703 - 3157





Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720

### Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FOOD LION #1062 PRODUCE Establishment ID: 3034020720

### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



