Food Establishment Inspection Report Score: 98 Establishment Name: JEFFREY ADAMS ON FOURTH Establishment ID: 3034012178 Location Address: 321 W 4TH STREET Date: 11/24/2020 Status Code: A City: WINSTON SALEM State: NC Time In: \emptyset 2 : $45 \otimes_{\text{pm}}^{\text{o}}$ Time Out: Ø 5 : 35 ⊗ pm County: 34 Forsyth Zip: 27101 Total Time: 2 hrs 50 minutes JEFFREY ADAMS INVESTMENT GROUP Permittee: Category #: IV Telephone: (336) 448-1714 FDA Establishment Type: Full-Service Restaurant Wastewater System: ⊠Municipal/Community ☐ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 X 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🗷 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 210 - parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3150 - -Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 - - -Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 15 0 - -Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 🔀 2100 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🛛 🗆 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷



26 🗵 🗆

|27| 🗆 | 🗆 | 🔀

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



1 0.5 0

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

Total Deductions:

54

1 0.5 0

210 - -

	Comment	Adde	endum to	Food Es	stablishment	<u>Inspection</u>	n Report	
Establishme	nt Name: JEFFREY AD	AMS ON	FOURTH		Establishment IE):_3034012178		
Location Address: 321 W 4TH STREET City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27101				ate: NC	☐ Inspection ☐ Re-Inspection ☐ Date: 11/24/2020 Comment Addendum Attached? ☐ Status Code: A ☐ Category #: IV ☐ Category #: I			
Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System Permittee: JEFFREY ADAMS INVESTMENT GROUP Telephone: (336) 448-1714				Email 1: jeffreyadamsdining@yahoo.com Email 2:				
l elephone	. (336) 448-1714				Email 3:			
					bservations			
Item McKena	Location 3-19-23	Temp 0	_	Location walk in	is now 41 Degi Temp 41	rees or less Item tomato basil	S Location hot well	Temp 176
Sanitizer (qac)	bucket (ppm)	200	crab dip	walk in	41	mushroom	hot well	180
sanitizer (qac)	three comp sink (ppm)	200	mac and	walk in	41	_		
hot water	three comp sink	142	rice	make unit	41			
sanitizer (cl)	dish machine bar (ppm)	100	scallops	make unit	37			
hot plate temp	dish machine kitchen	168	shrimp —————	make unit	38			
wild rice	walk in	40	salmon	low boy	40			
pico	walk in	41	chicken 	low boy	40			
minimu 45 4-501.1 Repair Leg of s	orussel sprouts on floor im of six inches off the f I1 Good Repair and Pro shelving to remove rus silver wire shelf in walk	iloor at a oper Adj t. Stand in beer	ustment-Equi mixer on pre cooler is bend	e foods from pment - C Mi o table had d d and must b	the floor. inor chipping and rus eep chips in paint, o e replaced. Equipme	st present on g ontact supplier ent shall be kep	reen shelving o and repaint wit ot in good repair	ver prep sinks. h factory paint. . 0 pts
	ı basement. Repair dan						ion the broken	TIT DECT WAIK III
		Fi	rst	La	ast		_	
Person in Cha	rge (Print & Sign):				S	Ly V	5	
First Las Regulatory Authority (Print & Sign): Chrobak					ast (
	REHS ID: 2	450 - C	hrobak, Jose	eph	Verific	ation Required D	Date: /	1
REHS C	ontact Phone Number: (336)	703-31	6 4		•		

КСРН

Establishment Name: JEFFREY ADAMS ON FOURTH Establishment ID: 3034012178

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: JEFFREY ADAMS ON FOURTH Establishment ID: 3034012178

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: JEFFREY ADAMS ON FOURTH Establishment ID: 3034012178

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: JEFFREY ADAMS ON FOURTH Establishment ID: 3034012178

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



