Food Establishment Inspection Report	Score: <u>96</u>					
Establishment Name: SMITTY'S GRILLE	Establishment ID: 3034011693					
Location Address: 838-E S. MAIN STREET	Inspection Re-Inspection					
City: KERNERSVILLE State: NC	Date: 02/22/2021 Status Code: A					
ip: 27284 County: <u>34 Forsyth</u> Time In:2:05 PM Time Out:4:40 PM						
Permittee: SAGA LTD	Total Time: 2 hrs 35 min					
Telephone: (336) 993-6699	Category #: IV					
Wastewater System: XMunicipal/Community On-Site System	stem FDA Establishment Type: Full-Service Restaurant No. of Risk Factor/Intervention Violations: 0					
Water Supply: Municipal/Community On-Site Supply	No. of Repeat Risk Factor/Intervention Violations: 0					
Foodborne Illness Risk Factors and Public Health Interventions	Good Retail Practices					
Risk factors: Contributing factors that increase the chance of developing foodborne illness.	GOOD Retail Practices: Preventative measures to control the addition of pathogens, chemicals,					
Public Health Interventions: Control measures to prevent foodborne illness or injury.	and physical objects into foods.					
IN DUTINA NO Compliance Status OUT CDI R VR	IN OUT N/A N/C Compliance Status OUT CDI R VR					
Supervision     .2652       1 図 □ □     PIC Present; Demonstration-Certification by accredited program and perform duties	Safe Food and Water         .2653, .2655, .2658           28         X         Pasteurized eggs used where required         TED					
Employee Health						
2 Management, employees knowledge;	29 ☑     Water and ice from approved source     ☑     ☑       30 □     □     ☑     □       30 □     □     ☑     □					
A M C Proper use of reporting, restriction	methods CCCC					
Good Hygienic Practices .2652, .2653	Food Temperature Control .2653, .2654					
4 X Proper eating, tasting, drinking, or tobacco	equipment for temperature control					
5 🛛 🗌 No discharge from eyes, nose or mouth	32 D D D D Plant food properly cooked for hot holding					
Preventing Contamination by Hands .2652, .2653, .2655, .2656	33 🖾 🗆 🗆 Approved thawing methods used					
6 🛛 🗆 Hands clean & property washed	34 ⊠ □ Thermometers provided & accurate □ □ □ □					
7 🖾 🗆 🗆 No bare hand contact with RTE foods or pre-	Food Identification .2653					
8 X Handwashing sinks supplied & accessible 210	35 🖾 🗌 Food properly labeled: original container 🖾 🔟 🗌 🗌					
Approved Source .2653, .2655	Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657					
9 🛛 🗆 Food obtained from approved source 🖾 🔟 🗌	unauthorized animals					
10 D SFood received at proper temperature	preparation, storage & display 2000					
11 🛛 🗌 Food in good condition, safe & unadulterated 21 🖸 🗌	38 🛛 🗌 Personal cleanliness 11 🗉 🛛 🗆 🗆					
12 ⊠ □ □ □ Required records available: shellstock tags, 210 □ □	39 ⊠ □ Wiping cloths: properly used & stored 1 ⊡ □ □					
Protection from Contamination .26532654	40 🖾 🗆 🗆 Washing fruits & vegetables					
13 🛛 🗆 🗆 Food separated & protected 3130	Proper Use of Utensils .2653, .2654					
14 🛛 🗌 Food-contact surfaces: cleaned & sanitized 3130	41 🖾 🔲 In-use utensils: properly stored					
Proper disposition of returned, previously	42 🖾 🗆 Utensils, equipment & linens: properly stored					
Potentially Hazardous Food Time/Temperature .2653	43 I I Single-use & single-service articles: properly					
16 D D Proper cooking time & temperatures 3190 D D	44 🛛 🗌 Gloves used property					
17 D D V Proper reheating procedures for hot holding 3 13 0 D D	Utensils and Equipment .2653, .2654, .2663					
18 D D V Proper cooling time & temperatures	45 IM Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 200 IM IM					
19 C X Proper hot holding temperatures	Warewashing facilities: installed, maintained, marging or or or					
20 X C C Proper cold holding temperatures 3130 C C	a used; test strips					
	47     X       Non-food contact surfaces clean     X       Physical Facilities     .2654, .2655, .2656					
	48 🖾 🗆 🖸 Hot & cold water available; adequate pressure					
	49 X C Plumbing installed; proper backflow devices Z110 C C					
Consumer Advisory .2653 23 X C Consumer advisory provided for raw or C C C C C C C C C C C C C C C C C C						
Highly Susceptible Populations .2653	50 Image: Sewage & waste water properly disposed       Image: Sewage & waste water properly disposed         51 Image: Sewage & waste water properly constructed, supplied       Image: Sewage & waste water properly disposed         51 Image: Sewage & waste water properly constructed, supplied       Image: Sewage & waste water properly disposed					
24 D M Pasteurized foods used; prohibited foods not 3130 D D						
Chemical .2653, .2657	52 Garbage & refuse properly disposed; facilities					
25 C K Food additives: approved & properly used	53 C X Physical facilities installed, maintained 1 X C					
26 🛛 🗆 🔹 Toxic substances property identified stored, 🛛 🗖 🗖	54 D X Meets ventilation & lighting requirements; X D D C					
Conformance with Approved Procedures .2653, .2654, .2658	cedures .2653, .2654, .2658					
27 D X Compliance with variance, specialized process, reduced oxygen packing criteria 0 D C C ACCP plan	Total Deductions: 4					
North Carolina Department of Health & Human Services Page 1 of Food Establishment Inspection Report, 3/2013						
Page 1 of Food Establishment Inspection Report, 3/2013						

# Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034011693

Establishment Name: SMITTY'S GRILLE	Establishment ID: 3034011693					
Location Address: 838-E S. MAIN STREET	Inspection Re-Inspection Date: 02/22/2021					
City: KERNERSVILLE State: NC	Comment Addendum Attached? X Status Code: A					
County: 34 Forsyth Zip: 27284	Water sample taken? Yes X No Category #: IV					
Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System	Email 1:csmithsaga@gmail.com					
Permittee: SAGA LTD	Email 2:					
Telephone: (336) 993-6699	Email 3:					
Temperature Observations						

Effective January 1, 2019 Cold Holding is now 41 degrees or less						
ltem tuna	Location Walk-in cooler	Temp Item 40	Location	Temp Item	Location	Temp
crab cake	Walk-in cooler	40				
baked beans	Walk-in cooler	40				
cole slaw	Walk-in cooler	40				
mac salad	Walk-in cooler	40				
eggs	Walk-in cooler	38				
sausage	make-unit	40				
lettuce	make-unit	40				
slied tomato	make-unit	38				
tuna	make-unit	38				
cole slaw	True glass door refrigerator	41				
macaroni salad	True glass door refrigerator	40				
chlorine	dishmachine 50ppm	00				
chlorine	spray bottle 200ppm	00				
chlorine	spray bottle 200ppm	00				
servsafe	E. Hamby 5/8/23	00				
hot water	3 compartment sink	130				

Person in Charge (Print & Sign): Philip	First	<i>Last</i> Uselman	m		
	First	Last			
Regulatory Authority (Print & Sign): Damon		Thomas	Detter, 2005 + 2977		
REHS ID: 2877 - Thomas, Damon		Verification Required Date:			
REHS Contact Phone Number: (336) 703-3135 North Carolina Department of Health & Human Services Page 1 of Food Establishment Inspection Report, 3/2013					

## Comment Addendum to Food Establishment Inspection Report

#### Establishment Name: SMITTY'S GRILLE

### Establishment ID: 3034011693

#### **Observations and Corrective Actions**

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- Recondition the underside of the drainboard for the spray sink where the trash can is stored and the shelves inside of the Beverage-Air undercounter refrigerator to remove rusting and chipping. Repair the holes in the door to the kitchen on the rear side of the bar- Equipment shall be maintained in a state of good repair- Deductions reduced to half for improvement.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- REPEAT- Cleaning is needed for the following pieces of equipment: The surfaces of the fryers, the lower portions of the shelves next to the Vulcan oven, the table mounted can opener, the surfaces of the short equipment table on the cook line, the shelf and fan above the service window and the door gaskets for the refrigeration equipment throughout the kitchen- Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris.
- 52 5-501.113 Covering Receptacles C- REPEAT- The doors to the dumpster were open- Receptacles and waste handling units for refuse, recyclables and returnables shall be kept covered with tight-fitting lids or doors if kept outside of the food establishment.
- 53 6-501.12 Cleaning, Frequency and Restrictions C- REPEAT- General floor and baseboard cleaning is needed along the cook line and beneath the equipment in the bar area- Physical facilities shall be maintained clean- Deductions reduced to half for improvement.
- 54 6-303.11 Intensity-Lighting C- The light intensity around the bar area particularly above the ice bins where ice is scooped to prepare beverages was measured at 13.6- 40 foot candles- The light intensity shall be 50 foot candles at a surface where an employee is working with food or equipment and at least 20 foot candles in areas used for handwashing, warewashing and equipment and utensil storage.